



C1	SIGN TYPE	JOB TYPE	QTY	SCALE
	MONUMENT	REFURBISH EXISTING	1 D/F	1/2"=1'-0"

OPTION: REFURBISH EXISTING SIGN

SIGN SPECIFICATIONS

- A NEW 1/8" ALUMINUM SIGN FACES WITH ROUTED AND PUSH-THRU 3/4" CLEAR ACRYLIC (1/2" NET BEYOND FACE), WITH SECOND SURFACE DIFFUSER AND FIRST SURFACE WHITE AND RED TRANSLUCENT FILMS; ILLUMINATED WITH 6500K WHITE LED'S. SIGN FACE TO BE GLUED TO NEW 1-1/2" ALUMINUM RETAINERS.
- B EXISTING CABINET. REPAINT RETURNS APPROVED COLOR.
- C EXISTING POLE COVER. RE-PAINT WITH NEW APPROVED COLOR.



EXISTING CONDITIONS  
REFURBISH EXISTING SIGN WITH NEW FACES



COMPLETION RENDERING



4496 Bents Dr., Unit A  
Windsor, CO 80550  
www.davincisign.com  
Ft. Collins (970) 203-9292  
Cheyenne (307) 220-4316  
Denver (303) 573-7446  
Greeley (970) 353-8446

SALESPERSON: KEVIN FLANNERY DESIGN: J. VALASEK PROD. DESIGN:

Job Name  
ENT CREDIT UNION  
Address  
18701 E. HAMPDEN AVE,  
AURORA, CO 80013

Approvals  
DaVinci Approval ☒ Date:  
Customer Approval  
☒ Without Changes ☐ With Changes As Noted

Paint & Finish Colors	Film & Print Colors
P1 PTM ENT CUSTOM RED	F1 ENT CUSTOM RED
P2 BLACK - SATIN FINISH	F2 3630-22 BLACK
P3 MP 41313SP 'DARK BRONZE'	F3 3630-20 WHITE
P4 WHITE - SATIN FINISH	F4
P5	F5

Revisions
R1
R2
R3
R4
R5

DESIGN #	REV.#	DATE
1552		7.5.23
PAGE	OF:	
3	5	

© Copyright 2021 DaVinci Sign Systems



THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRIC SIGN CODE. THE LOCATION OF THE DISCONNECT SWITCH AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.6(A) (1) OF THE NATIONAL ELECTRIC SIGN CODE.



ALL SIGNAGE WILL REQUIRE 120V ELECTRICAL SERVICE OR AS INDICATED ON DRAWING.