

RECORDED AS RECEIVED

LEGAL DESCRIPTION:

LOTS 1 AND 2 OF GATEWAY PARK IV EAST SUBDIVISION FILING NO. 2.


CITY OF AURORA SITE PLAN NOTES:

- THE DEVELOPER, HIS SUCCESSORS AND ASSIGNS, SHALL BE RESPONSIBLE FOR INSTALLATION, MAINTENANCE AND REPLACEMENT OF THE ACCESS CONTROL GATE OR BARRIER SYSTEM TO ENSURE EMERGENCY VEHICLE ACCESS TO WITHIN THE SITE. IF THE ABOVE CONDITIONS ARE NOT MET, THE OWNERS, HIS OR HER SUCCESSORS AND ASSIGNS, SHALL BE REQUIRED BY FIRE DEPARTMENT ORDER NOTICE THAT ALL AFFECTED GATES BE CHAINED AND LOCKED IN THE OPEN POSITION UNTIL REPAIRED OR REPLACED, AND RETESTED TO ALL CITY OF AURORA STANDARDS AT THE TIME OF THE VIOLATION. IF THE GATING SYSTEM IS NOT MAINTAINED TO THE SATISFACTION OF THE FIRE DEPARTMENT, THE LICENSE FOR THE EMERGENCY VEHICLE GATE OPENING SYSTEM WILL BE REVOKED AND THE GATING SYSTEM MUST BE REMOVED. THE GATING SYSTEM WILL INCLUDE AN EMERGENCY VEHICLE GATE OPENING SYSTEM UTILIZING A REDUNDANCY BACK-UP SYSTEM THAT CONSISTS OF: A) SIREN OPERATED SYSTEM; B) AUTOMATIC KNOX KEY SWITCH; AND C) MANUAL OVERRIDE (IN THE EVENT OF SYSTEM FAILURE). GATING SYSTEMS WILL BE INSTALLED IN ACCORDANCE WITH THE "GATING SYSTEMS CROSSING FIRE APPARATUS ACCESS ROADS CHECKLIST". A SEPARATE BUILDING PERMIT THROUGH THE BUILDING DIVISION IS REQUIRED TO BE OBTAINED BY THE CONTRACTOR PRIOR TO THE INSTALLATION OF ANY GATING/BARRIER SYSTEM THAT CROSSES THE A DEDICATED FIRE LANE EASEMENT.
- THE DEVELOPER, HIS SUCCESSORS AND ASSIGNS, INCLUDING THE HOMEOWNERS OR MERCHANTS ASSOCIATION, SHALL BE RESPONSIBLE FOR INSTALLATION, MAINTENANCE AND REPLACEMENT OF ALL FIRE LANE SIGNS AS REQUIRED BY THE CITY OF AURORA.
- ALL SIGNS MUST CONFORM TO THE CITY OF AURORA SIGN CODE AND GATEWAY PARK GDP.
- RIGHT-OF-WAY FOR INGRESS AND EGRESS FOR SERVICE AND EMERGENCY VEHICLES IS GRANTED OVER, ACROSS, ON AND THROUGH ANY AND ALL PRIVATE ROADS AND WAYS NOW OR HEREAFTER ESTABLISHED ON THE DESCRIBED PROPERTY. THE UNDERSIGNED DOES HEREBY COVENANT AND AGREE THEY SHALL CONSTRUCT UPON THE FIRE LANE EASEMENTS, AS DEDICATED AND SHOWN HERE ON, A HARD SURFACE IN ACCORDANCE WITH THE CITY OF AURORA'S PAVING STANDARDS FOR FIRE LANE EASEMENTS, AND THEY SHALL MAINTAIN THE SAME IN A STATE OF GOOD REPAIR AT ALL TIMES AND KEEP THE SAME FREE AND CLEAR OF ANY STRUCTURES, FENCES, LANDSCAPE MATERIALS, SNOW OR OTHER OBSTRUCTIONS. THE MAINTENANCE OF PAVING ON THE FIRE LANE EASEMENT(S) IS THE RESPONSIBILITY OF THE OWNER, AND THE OWNER SHALL POST AND MAINTAIN APPROPRIATE SIGN IN CONSPICUOUS PLACES ALONG SUCH FIRE LANE EASEMENTS, STATING "FIRE LANE, NO PARKING." THE LOCAL LAW ENFORCEMENT AGENT(S) IS HEREBY AUTHORIZED TO ENFORCE PARKING REGULATIONS WITHIN THE FIRE LANE EASEMENTS, AND TO CAUSE SUCH EASEMENTS TO BE MAINTAINED FREE AND UNOBSTRUCTED AT ALL TIMES FOR FIRE DEPARTMENT AND EMERGENCY APPARATUS.
- "ACCESSIBLE EXTERIOR ROUTES" SHALL BE PROVIDED FROM PUBLIC TRANSPORTATION STOPS, ACCESSIBLE PARKING AND ACCESSIBLE PASSENGER LOADING ZONES AND PUBLIC SIDEWALKS TO AT LEAST 60% OF THE BUILDING ENTRANCES THEY SERVE. THE ACCESSIBLE ROUTE BETWEEN ACCESSIBLE PARKING AND ACCESSIBLE BUILDING ENTRANCES SHALL BE THE MOST PRACTICAL DIRECT ROUTE. THE ACCESSIBLE ROUTE MUST BE LOCATED WITHIN A SIDEWALK. NO SLOPE ALONG THIS ROUTE MAY EXCEED 1:20 WITHOUT PROVIDING A RAMP WITH MAXIMUM SLOPE OF 1:12 AND HANDRAILS. CROSSWALKS ALONG THIS ROUTE SHALL BE WIDE ENOUGH TO WHOLLY CONTAIN THE CURB RAMP WITH A MINIMUM WIDTH OF 36" AND SHALL BE PAINTED WITH WHITE STRIPES. THE CITY OF AURORA ENFORCES HANDICAPPED ACCESSIBILITY REQUIREMENTS BASED ON THE 2009 INTERNATIONAL BUILDING CODE, CHAPTER 11, AND THE AMERICAN NATIONAL STANDARDS INSTITUTE (ICC/ANSI) A117-2003. THE DEVELOPER, OWNER AND ASSIGNS ARE RESPONSIBLE FOR COMPLYING WITH THE FEDERALLY MANDATED REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT (ADA), AND AS SUCH, THE CITY OF AURORA DOES NOT ENFORCE THESE LAWS.
- THE APPLICANT HAS THE OBLIGATION TO COMPLY WITH ALL APPLICABLE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT (ADA).
- THE DEVELOPER, HIS SUCCESSORS AND ASSIGNS, SHALL BE RESPONSIBLE FOR INSTALLATION, MAINTENANCE AND REPLACEMENT OF ALL LANDSCAPING MATERIALS SHOWN OR INDICATED ON THE APPROVED SITE PLAN OR LANDSCAPE PLAN ON FILE IN THE PLANNING DEPARTMENT. ALL LANDSCAPING WILL BE INSTALLED PRIOR TO THE ISSUANCE OF A CERTIFICATE OF OCCUPANCY.
- THE APPROVAL OF THIS DOCUMENT DOES NOT CONSTITUTE FINAL APPROVAL OF GRADING, DRAINAGE, UTILITY, PUBLIC IMPROVEMENTS AND BUILDING PLANS. CONSTRUCTION PLANS MUST BE REVIEWED AND APPROVED BY THE APPROPRIATE AGENCY PRIOR TO ISSUANCE OF BUILDING PERMITS.
- ALL BUILDING ADDRESS NUMBERS SHALL COMPLY WITH THE AURORA CITY CODE, ARTICLE VII-NUMBERING OF BUILDINGS.
- NOTWITHSTANDING ANY SURFACE IMPROVEMENTS, LANDSCAPING, PLANTING OR CHANGES SHOWN IN THESE SITE OR CONSTRUCTION PLANS, OR ACTUALLY CONSTRUCTED ON OR PUT IN PLACE, ALL UTILITY EASEMENTS MUST REMAIN UNOBSTRUCTED AND FULLY ACCESSIBLE ALONG THEIR ENTIRE LENGTH TO ALLOW FOR ADEQUATE MAINTENANCE EQUIPMENT. ADDITIONALLY, NO INSTALLATION, PLANTING, CHANGE IN THE SURFACE, ETC. SHALL INTERFERE WITH THE OPERATION OF THE UTILITY LINES PLACED WITHIN THE EASEMENT. BY SUBMITTING THESE SITE OR CONSTRUCTION PLANS FOR APPROVAL, THE LANDOWNER RECOGNIZES AND ACCEPTS THE TERMS, CONDITIONS AND REQUIREMENTS OF THIS NOTE.
- FINAL GRADE SHALL BE AT LEAST SIX (6) INCHES BELOW ANY EXTERIOR WOOD SIDING ON THE PREMISES.
- ALL INTERESTED PARTIES ARE HEREBY ALERTED THAT THIS SITE PLAN IS SUBJECT TO ADMINISTRATIVE CHANGES AND AS SHOWN ON THE ORIGINAL SITE PLAN ON FILE IN THE AURORA CITY PLANNING OFFICE AT THE MUNICIPAL BUILDING. A COPY OF THE OFFICIAL CURRENT PLAN MAY BE PURCHASED THERE. LIKEWISE, SITE PLANS ARE REQUIRED TO AGREE WITH THE APPROVED SUBDIVISION PLAT OR RECORD AT THE TIME OF A BUILDING PERMIT, AND IF NOT, MUST BE AMENDED TO AGREE WITH THE PLAT, OR VICE VERSA.
- ERRORS IN APPROVED SITE PLANS RESULTING FROM COMPUTATIONS OR INCONSISTENCIES IN THE DRAWINGS MADE BY THE APPLICANT ARE THE RESPONSIBILITY OF THE PROPERTY OWNER OF RECORD. WHERE FOUND, THE CURRENT MINIMUM CODE REQUIREMENTS WILL APPLY AT THE TIME OF BUILDING PERMIT.

UNFI AT GATEWAY PARK

GATEWAY PARK EAST FILING NO. 2

SECTION 21, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH P.M.
CITY OF AURORA, COUNTY OF ADAMS, STATE OF COLORADO



VICINITY MAP

- ALL REPRESENTATIONS AND COMMITMENTS MADE BY APPLICANTS AND PROPERTY OWNERS AT PUBLIC MEETINGS REGARDING THIS PLAN ARE BINDING UPON THE APPLICANT, PROPERTY OWNER AND ITS HEIRS, SUCCESSORS AND ASSIGNS.
- ALL ROOFTOP MECHANICAL EQUIPMENT AND VENTS GREATER THAN EIGHT INCHES IN DIAMETER MUST BE SCREENED. SCREENING MAY BE DONE EITHER WITH AN EXTENDED PARAPET WALL OR A FREESTANDING SCREEN WALL OF A MATERIAL, COLOR AND DESIGN MATCHING THE BUILDING. SCREENS SHALL BE AT LEAST AS HIGH AS THE EQUIPMENT THEY HIDE. IF EQUIPMENT IS VISIBLE BECAUSE SCREENS DON'T MEET THIS MINIMUM HEIGHT REQUIREMENT, THE DIRECTOR OF PLANNING OR THE GPDR MAY REQUIRE CONSTRUCTION MODIFICATIONS PRIOR TO THE ISSUANCE OF A CERTIFICATE OF OCCUPANCY.
- THERE IS NO OUTDOOR STORAGE PROPOSED OR ALLOWED ON THIS SITE.
- ALL CROSSINGS AND ENCROACHMENTS BY PRIVATE LANDSCAPE IRRIGATION SYSTEMS AND/OR PRIVATE UTILITIES INTO EASEMENTS AND STREET RIGHTS-OF-WAY OWNED BY THE CITY OF AURORA ARE ACKNOWLEDGED BY THE UNDERSIGNED AS BEING SUBJECT TO CITY OF AURORA'S USE AND OCCUPANCY OF THE SAID EASEMENTS OF RIGHTS-OF-WAY. THE UNDERSIGNED, THEIR SUCCESSORS AND ASSIGNS, HEREBY AGREE TO INDEMNIFY THE CITY OF AURORA FOR ANY LOSS, DAMAGE, OR REPAIR TO CITY FACILITIES THAT MAY RESULT FROM THE INSTALLATION, OPERATION, OR MAINTENANCE OF SAID PRIVATE IRRIGATION SYSTEMS AND/OR PRIVATE UTILITIES.
- ARCHITECTURAL FEATURES (I.E. BAY WINDOWS, FIREPLACES, ROOF OVERHANGS, GUTTERS, EAVES, PARKING SPACES, FOUNDATIONS, FOOTINGS, CANTILEVERED WALLS, ETC.) ARE NOT ALLOWED TO ENCRUCH INTO ANY EASEMENT OR FIRE LANE.
- ALL SIGNING AND STRIPING TO BE REVIEWED AND APPROVED BY PUBLIC WORKS AND SHALL CONFORM TO THE MUTCD. THE DEVELOPER IS RESPONSIBLE FOR SIGNING AND STRIPING ON E. 40TH AVENUE.
- ALL BUILDINGS SHALL HAVE APPROVED IN BUILDING RADIO COVERAGE. THE SIGNAL STRENGTH SHALL BE ACCEPTABLE WHEN 95% OF ALL AREAS ON EACH FLOOR OF THE BUILDING MEET THE MINIMUM SIGNAL STRENGTH RECEIVABLE INTO THE BUILDING OF -88 DBM AND A MINIMUM SIGNAL STRENGTH OF -88 DBM RECEIVED BY THE FIRE JURISDICTIONS RADIO SYSTEM AS TRANSMITTED OUT OF THE BUILDING. TESTING AND ACCEPTANCE SHALL BE IN ACCORDANCE WITH APPENDIX J OF THE INTERNATIONAL FIRE CODE 2009 AS AMENDED BY CITY CODE SECTION 66-39. THE DEVELOPER SHALL BE RESPONSIBLE FOR INSTALLATION AND MAINTENANCE OF THE SYSTEM AND C.O. SHALL NOT BE ISSUED UNTIL SUCH TIME AS RELEVANT STRUCTURE OWNERS CAN SHOW THEY HAVE PASSED A FINAL ACCEPTANCE TEST.
- SEE SHEET 36 FOR GATEWAY PARK DRC NOTES.

AMENDMENTS

- MINOR AMENDMENT**
ADD 348 SQ FT OF NEW CONCRETE SIDEWALK AND SECURED ACCESS GATES / TURNSTILES FOR NEW EMPLOYEE ENTRANCE AREA

UNFI PROJECT DATA TABLE	CURRENT	FUTURE	TOTAL
LAND AREA W/IN PROPERTY LINES	38.9 ACRES	0	38.9 ACRES
TOTAL GROSS FLOOR AREA (SF)	545,596	169,700	715,296
NUMBER OF BUILDINGS	2	0	2
WAREHOUSE GROSS FLOOR AREA (SF)	536,729	169,700	706,429
TRUCK MAINT. GROSS FLOOR AREA (SF)	8,867	0	8,867
TOTAL WAREHOUSE AREA (TRUCK AND WAREH.)	503,312	169,700	673,012
TOTAL OFFICE AREA (TRUCK AND WAREH.)	42,284	0	42,284
MAXIMUM HEIGHT OF BUILDINGS	41'-6"	41'-6"	41'-6"
WAREHOUSE IBC OCCUPANCY CLASS	B/S-1	B/S-1	B/S-1
WAREHOUSE CONSTRUCTION TYPE	IB, AUTO SPRINKLER		
TRUCK MAINT. IBC OCCUPANCY CLASS	S-1	S-1	S-1
TRUCK MAINT. CONSTRUCTION TYPE	IB, ORDINARY HAZARD		
TOTAL BUILDING COVERAGE (SF/%)	545,596/22.2	169,700/71.5	715,296/42.2
HARD-SURFACE AREA (EX. OF BLD)	476,614/28.1	25,056	501,670/29.6
LANDSCAPE AREA (SF/%)	672,275/39.7	194,756	867,031/28.2
PRESIDENT ZONING CLASSIFICATION	M2	M2	M2
PROPOSED USES	WAREHOUSE/OFFICE		
NUMBER OF SIGNS PERMITTED	5	0	5
PROPOSED NUMBER OF SIGNS	1 MONUMENT & 1 WALL SIGN		
PERMITTED MAXIMUM SIGN AREA	340-SF	0	340-SF
PROPOSED SIGN AREA	48-SF MONUMENT (2X24SF)/WALL 292-SF		
PROPOSED SIGNAGE AREA (SF TOTAL)	340	0	340
NUMBER OF FLAG POLES	1-35', 2-25'	0	1-35', 2-25'
PARKING SPACES REQUIRED	410	85	495
PARKING SPACES PROVIDED	410	85	495
ACCESSIBLE SPACES REQUIRED (VAN = 2)	9	0	9
ACCESSIBLE SPACES PROVIDED (VAN = 2)	9	0	9
LOADING SPACES REQUIRED	8	2	10
LOADING SPACES PROVIDED	84	0	84
BICYCLE PARKING REQUIRED (3%)	12	3	15
BICYCLE PARKING PROVIDED	16	0	16

SHEET NO.	ISSUED	3/2/2012	4/20/2012	5/9/2012	5/14/2012	6/8/2012	6/28/2012	7/16/2012
1	COVER SHEET							
2	OVERALL SITE PLAN							
3-5	SITE PLANS							
6-8	PRELIMINARY UTILITY PLANS							
9-11	PRELIMINARY GRADING AND DRAINAGE PLANS							
12-20	LANDSCAPE PLANS							
21-22	LANDSCAPE DETAIL SHEET							
23	BUILDING FLOOR PLAN							
24	BUILDING ROOF PLAN							
25-29	ARCHITECTURAL DETAILS SHEETS							
30-33	BUILDING ELEVATIONS							
34-36	SITE AND STREET LIGHTING							
37	GATEWAY PARK DRC NOTES & DETAILS							
38	SITE PLAN							
39	GRADING AND UTILITY PLAN							
40	SITE PLAN DETAILS							
41	EXTERIOR ELEVATIONS							
42	PHOTOMETRIC PLAN							
43	PHOTOMETRIC PLAN							

CLERK AND RECORDER'S CERTIFICATE

ACCEPTED FOR FILING IN THE OFFICE OF THE COUNTY CLERK AND RECORDER OF ADAMS COUNTY, COLORADO ON THIS 27th DAY OF July 2012 A.D. AT 8:35 O'CLOCK A.M.

Karen Long
COUNTY CLERK AND RECORDER

Heather Marshall
DEPUTY

FILE:
PAGE NO.:
RECEPTION NO.: 2012000054220



CITY OF AURORA APPROVALS

PLANNING DIRECTOR: *Elit Wath* DATE: 7/20/2012
PLANNING COMMISSION: DATE: 5/23/2012
CITY COUNCIL: N/A DATE: N/A
ATTTEST: N/A DATE: N/A
DATABASE APPROVAL: DATE:

THIS SITE PLAN AND ANY AMENDMENTS HERETO, UPON APPROVAL BY THE CITY OF AURORA AND RECORDING, SHALL BE BINDING UPON THE APPLICANTS THEREFORE, THEIR SUCCESSORS AND ASSIGNS. THIS PLAN SHALL LIMIT AND CONTROL THE ISSUANCE AND VALIDITY OF ALL BUILDING PERMITS, AND SHALL RESTRICT AND LIMIT THE CONSTRUCTION, LOCATION, USE, OCCUPANCY AND OPERATION OF ALL LAND AND STRUCTURES WITHIN THIS PLAN TO ALL CONDITIONS, REQUIREMENTS, LOCATIONS AND LIMITATIONS SET FORTH HEREIN. ABANDONMENT, WITHDRAWAL OR AMENDMENT OF THIS PLAN MAY BE PERMITTED ONLY UPON APPROVAL OF THE CITY OF AURORA.

IN WITNESS WHEREOF,
HAS CAUSED THESE
GATEWAY (UNFI), LLC, A DELAWARE LIMITED LIABILITY COMPANY
BY: GATEWAY EAST INDUSTRIAL, LLC, A COLORADO LIMITED LIABILITY COMPANY, ITS SOLE MEMBER AND MANAGER
BY: GATEWAY BUSINESS PARK, LLC, A COLORADO LIMITED LIABILITY COMPANY, ITS MANAGER

PRESENTS TO BE EXECUTED
BY: *Mike Serra III* DATE: 7/18/12

NAME: *Mike Serra III*
ITS: *Authorized Signature*

STATE OF
COUNTY OF

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME

THIS 18 DAY OF July
BY: *Mike Serra III* (PRINCIPALS OR OWNERS)

WITNESS MY HAND AND OFFICIAL SEAL
Patricia P. Adams
(NOTARY PUBLIC)

MY COMMISSION EXPIRES: 07/14/2015
NOTARY BUSINESS ADDRESS: 270 St Paul, Denver, CO 80206

OWNER
GATEWAY (UNFI), LLC.
PAUL W. POWERS, PRESIDENT
270 ST. PAUL STREET, SUITE 300
DENVER, CO 80206
(303) 371-9000

ENGINEER
KIMLEY-HORN AND ASSOCIATES, INC.
RANDALL J. PHELPS, P.E.
990 SOUTH BROADWAY, SUITE 450
DENVER, CO 80209
(303) 228-2300

DEVELOPER/CONTRACTOR
ARCO DESIGN/BUILD, INC.
DANNY GULLATT
380 INTERSTATE N. PARKWAY
SUITE 210
ATLANTA, GA 30339
(770) 541-1700

SURVEYOR
C.R. MOORE SURVEYING, INC.
CREIG MOORE, P.L.S.
PO BOX 745153
ARVADA, CO 80006
(303) 422-1918

ARCHITECT
RANDALL-PAULSON ARCHITECTS
BEN TRUSTY
HISTORIC ROSWELL, MILL
85-A MILL STREET, SUITE 200
ROSWELL, GEORGIA 30075
(770) 650-7558 X 708


LANDSCAPE ARCHITECT
THE ASSOCIATES
JULIE GAMES
2953 SOUTH PEORIA STREET, SUITE 101
AURORA, CO 80014
(303) 770-7201




Kimley-Horn and Associates, Inc.
DESIGNED BY: BWV
DRAWN BY: FAS
CHECKED BY: RJP
DATE: 3/2/2012

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
COVER SHEET

PROJECT NO.
096259000
DRAWING NAME
SITEPLAN_CV
1





KEYMAP
N.T.S.

KEY NOTES

- ALL FIRE LANES MUST HAVE "FIRE LANE NO PARKING" SIGNS POSTED ON ALTERNATE SIDES OF THE FIRE LANES APPROXIMATELY 75' APART FACING TRAFFIC AT A 45 DEGREE ANGLE.
- PRIOR TO INSTALLATION, CONTRACTOR SHALL COORDINATE AND OBTAIN FIELD APPROVAL OF THE LAYOUT AND CONCRETE FORMS FOR THE 8' SCMD MAINTAINED WALK IN LOT 1.
- STREET LIGHTS ARE TO BE FUNDED BY THE DEVELOPER. INSTALLATION COORDINATED WITH XCEL ENERGY BY THE DEVELOPER AND INSTALLED BY XCEL. STREET LIGHTS SHALL BE OPERATING PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

KEY NOTES

- ADA ACCESSIBLE ROUTE
- 6" BLACK VINYL FENCE
- FIRE LANE, WIDTH AS SHOWN
- PARKING STALL (9' x 19' TYP.) ASPHALT
- PARKING STALL WITH OVERHANG (9' x 17') ASPHALT
- HANDICAP ACCESSIBLE PARKING STALL AND SIGNAGE WITH HC SYMBOL
- SIGHT TRIANGLE
- EXISTING FIRE HYDRANT
- 24' DRIVE AISLE - ASPHALT
- PERIMETER ROAD - ASPHALT, WIDTH AS SHOWN
- LANDSCAPE AREA (REF: LANDSCAPE PLAN)
- CONCRETE LANDING
- TRUCK SCALES
- PROP. STREET LIGHTING PER SHEETS 33-35
- TRUCK PARKING STALL (12' x 55')
- 24' ENTRY ROADWAY - ASPHALT
- 30' ENTRY ROADWAY - ASPHALT
- BLACK VINYL SWING GATE WITH KNOX PADLOCK
- EGRESS STAIRWAY
- STOP SIGN PER DETAIL ON SHEET 37
- MONUMENT SIGN
- SIDEWALK, WIDTH AS SHOWN
- DOLLY PAD
- NEW CONCRETE CURB
- TEMPORARY LANDSCAPE AREA
- FLAG POLE
- PROPOSED FIRE HYDRANT
- VERTICAL SWING ARM GATE KNOX BOX ON POLE
- ORNAMENTAL SLIDING GATE WITH SOS AND KEYPAD AND MANUAL OVERRIDE
- MANUAL SLIDING WEEKEND GATE WITH KNOX PADLOCK
- FDC WITH LOCKING KNOX CAPS
- KNOX BOX LOCATIONS
- HEADER PER LANDSCAPE
- BOLLARDS
- ADA SIGNAGE PER DETAIL ON SHEET 25
- (XX) PARKING STALL COUNT

GRAPHIC SCALE
(IN FEET)
0 20 40 80


811 Know what's below. Call before you dig.



Kimley-Horn and Associates, Inc.
2012 KIMLEY-HORN AND ASSOCIATES, INC.
950 South Broadway, Suite 200
Denver, Colorado 80209 (303) 228-2300

DESIGNED BY: EJC
DRAWN BY: EJC
CHECKED BY: RJB
DATE: 3/2/2012

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
SITE PLAN


PROJECT NO.
096259000
DRAWING NAME
SITEPLAN_SP2
3





- KEY NOTES**
1. ALL FIRE LANES MUST HAVE "FIRE LANE NO PARKING" SIGNS POSTED ON ALTERNATE SIDES OF THE FIRE LANES APPROXIMATELY 75' APART FACING TRAFFIC AT A 45 DEGREE ANGLE.
 2. PRIOR TO INSTALLATION, CONTRACTOR SHALL COORDINATE AND OBTAIN FIELD APPROVAL OF THE LAYOUT AND CONCRETE FORMS FOR THE 8' SCMD MAINTAINED WALK IN LOT 1.
 3. STREET LIGHTS ARE TO BE FUNDED BY THE DEVELOPER, INSTALLATION COORDINATED WITH XCEL ENERGY BY THE DEVELOPER AND INSTALLED BY XCEL. STREET LIGHTS SHALL BE OPERATING PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

- KEY NOTES**
- 1 ADA ACCESSIBLE ROUTE
 - 2 6" BLACK VINYL FENCE
 - 3 FIRE LANE, WIDTH AS SHOWN
 - 4 PARKING STALL (9' x 19' TYP.) ASPHALT
 - 5 PARKING STALL WITH OVERHANG (9' x 17') ASPHALT
 - 6 HANDICAP ACCESSIBLE PARKING STALL AND SIGNAGE WITH HC SYMBOL
 - 7 SIGHT TRIANGLE
 - 8 EXISTING FIRE HYDRANT
 - 9 24' DRIVE AISLE - ASPHALT
 - 10 PERIMETER ROAD - ASPHALT, WIDTH AS SHOWN
 - 11 LANDSCAPE AREA (REF: LANDSCAPE PLAN)
 - 12 CONCRETE LANDING
 - 13 TRUCK SCALES
 - 14 PROP. STREET LIGHTING PER SHEETS 33-35
 - 15 TRUCK PARKING STALL (12' x 55')
 - 16 24' ENTRY ROADWAY - ASPHALT
 - 17 30' ENTRY ROADWAY - ASPHALT
 - 18 BLACK VINYL SWING GATE WITH KNOX PADLOCK
 - 19 EGRESS STAIRWAY
 - 20 STOP SIGN PER DETAIL ON SHEET 37
 - 21 MONUMENT SIGN
 - 22 SIDEWALK, WIDTH AS SHOWN
 - 23 DOLLY PAD
 - 24 NEW CONCRETE CURB
 - 25 TEMPORARY LANDSCAPE AREA
 - 26 FLAG POLE
 - 27 PROPOSED FIRE HYDRANT
 - 28 VERTICAL SWING ARM GATE KNOX BOX ON POLE
 - 29 ORNAMENTAL SLIDING GATE WITH SOS AND KEYPAD AND MANUAL OVERRIDE
 - 30 MANUAL SLIDING WEEKEND GATE WITH KNOX PADLOCK
 - 31 FDC WITH LOCKING KNOX CAPS
 - 32 KNOX BOX LOCATIONS
 - 33 HEADER PER LANDSCAPE
 - 34 BOLLARDS
 - 35 ADA SIGNAGE PER DETAIL ON SHEET 25





NO.	REVISION	BY	DATE
1	COMMENT RESPONSES	BV	4/20
2	GPDR SUBMITTAL	BV	5/9
3	COA RESUBMITTAL	BV	5/11
4	COA RESUBMITTAL	BV	6/8
5	GPDR SUBMITTAL	BV	6/29
6	COA SITE PLAN MYLAR	BV	7/16

Kimley-Horn and Associates, Inc.
2012 KIMLEY-HORN AND ASSOCIATES, INC.
950 South Broadway, Suite 200
Denver, Colorado 80209 (303) 229-2300


DESIGNED BY: EJC
DRAWN BY: EJC
CHECKED BY: RJB
DATE: 3/2/2012

UNFLAT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
SITE PLAN

PROJECT NO. 096259000
DRAWING NAME SITEPLAN_SP2
5



- WATER NOTES**
- 1 FIRE HYDRANT
 - 2 PRIVATE DIP FIRE LOOP SYSTEM, DIA. AS SHOWN
 - 3 WATER LINE, DIA. AS SHOWN
 - 4 GATE VALVE
 - 5 WATER LINE POINT OF CONNECTION
 - 6 3" WATER METER AND SERVICE LINE
 - 7 EXISTING FIRE HYDRANT
 - 8 EXISTING WATER LINE
 - 9 CONNECT TO PUBLIC WATER
 - 10 FDC WITH LOCKING KNOX CAPS
- SANITARY SEWER NOTES**
- 1 SANITARY SEWER (PUBLIC)
 - 2 SANITARY SERVICE LINE, DIA. AS SHOWN
 - 3 CONNECT TO EXISTING SANITARY SEWER LINE
 - 4 SANITARY SEWER MANHOLE
 - 5 SANITARY SEWER POINT OF CONNECTION
 - 6 EXISTING PUBLIC SANITARY SEWER
 - 7 EXISTING PUBLIC SANITARY SEWER MANHOLE
- STORM SEWER NOTES**
- 1 STORM SEWER (PRIVATE)
 - 2 CURB INLET
 - 3 STORM SEWER MANHOLE
 - 4 STORM SEWER CATCH BASIN
 - 5 FLARED END SECTION
 - 6 CONNECT TO ROOF DRAIN
 - 7 EXISTING PRIVATE STORM SEWER
 - 8 STORM SEWER (PUBLIC)
- GAS NOTES**
- 1 PROPOSED GAS LINE
 - 2 CONNECT TO EXISTING GAS LINE
 - 3 CONNECT TO BUILDING PLUMBING



REVISION		NO.	DATE	BY	DATE	APPR.
1	COMMENT RESPONSES	1	4/20	BY		
2	CDRC SUBMITTAL	2	5/8	BY		
3	COA RESUBMITTAL	3	5/11	BY		
4	COA RESUBMITTAL	4	6/8	BY		
5	CDRC SUBMITTAL	5	6/29	BY		
6	COA SITE PLAN MYLAR	6	7/16	BY		

Kimley-Horn and Associates, Inc.
2012 KIMLEY-HORN AND ASSOCIATES, INC.
990 South Broadway, Suite 200
Denver, Colorado 80209 (303) 228-2300



DESIGNED BY: EJC
DRAWN BY: EJC
CHECKED BY: RJP
DATE: 3/2/2012

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
PRELIMINARY UTILITY PLAN

PROJECT NO.
096259000

DRAWING NAME
SITEPLAN_UT

6



WATER NOTES

- 1 FIRE HYDRANT
- 2 PRIVATE DIP FIRE LOOP SYSTEM, DIA. AS SHOWN
- 3 WATER LINE, DIA. AS SHOWN
- 4 GATE VALVE
- 5 WATER LINE POINT OF CONNECTION
- 6 3" WATER METER AND SERVICE LINE
- 7 EXISTING FIRE HYDRANT
- 8 EXISTING WATER LINE
- 9 CONNECT TO PUBLIC WATER
- 10 FDC WITH LOCKING KNOX CAPS

SANITARY SEWER NOTES


- 1 SANITARY SEWER (PUBLIC)
- 2 SANITARY SERVICE LINE, DIA. AS SHOWN
- 3 CONNECT TO EXISTING SANITARY SEWER LINE
- 4 SANITARY SEWER MANHOLE
- 5 SANITARY SEWER POINT OF CONNECTION
- 6 EXISTING PUBLIC SANITARY SEWER
- 7 EXISTING PUBLIC SANITARY SEWER MANHOLE

STORM SEWER NOTES

- 1 STORM SEWER (PRIVATE)
- 2 CURB INLET
- 3 STORM SEWER MANHOLE
- 4 STORM SEWER CATCH BASIN
- 5 FLARED END SECTION
- 6 CONNECT TO ROOF DRAIN
- 7 EXISTING PRIVATE STORM SEWER
- 8 STORM SEWER (PUBLIC)

GAS NOTES

- 1 PROPOSED GAS LINE
- 2 CONNECT TO EXISTING GAS LINE
- 3 CONNECT TO BUILDING PLUMBING




NO.	REVISION	BY	DATE
1	COMMENT RESPONSES	BY 4/20	
2	GPDR SUBMITTAL	BY 5/9	
3	COA RESUBMITTAL	BY 5/11	
4	COA RESUBMITTAL	BY 6/8	
5	GPDR SUBMITTAL	BY 6/29	
6	COA SITE PLAN MYLAR	BY 7/16	

Kimley-Horn and Associates, Inc.
3012 KIMLEY-HORN AND ASSOCIATES, INC.
890 South Broadway, Suite 200
Denver, Colorado 80209 (303) 228-2300


DESIGNED BY: EJC
DRAWN BY: EJC
CHECKED BY: RJP
DATE: 3/2/2012

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
PRELIMINARY UTILITY PLAN

PROJECT NO.
096259000
DRAWING NAME
SITEPLAN_UT



- 1 PROPOSED GAS LINE
- 2 CONNECT TO EXISTING GAS LINE
- 3 CONNECT TO BUILDING PLUMBING





**Kimley-Horn
and Associates, Inc.**
2012 KIMLEY-HORN AND ASSOCIATES, INC.
990 South Broadway, Suite 200
Denver, Colorado 80202/724.2121

DESIGNED BY: EJC
DRAWN BY: EJC
CHECKED BY: RJP
DATE: 3/2/2012

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
PRELIMINARY UTILITY PLAN


PROJECT NO. 096259000
DRAWING NAME SITEPLAN_UT

2012000054220



KEY NOTES
[Symbol] PROPOSED PORTLAND CEMENT CONCRETE PAVEMENT

- GENERAL NOTES**
1. PROTECT ALL EXISTING UTILITIES AND/OR FACILITIES THAT SHALL REMAIN IN PLACE. DAMAGE TO EXISTING UTILITIES AND/OR FACILITIES SHALL BE REPAIRED BY THE CONTRACTOR AT THE CONTRACTOR'S EXPENSE.
 2. DESIGN CONTOURS REPRESENT FINISHED GRADE. CONTOURS AND PERCENT OF SLOPE ARE APPROXIMATE AND SHOWN AS SUPPLEMENTAL INFORMATION ONLY.
 3. NO SLOPE TO EXCEED 4:1:1.




NO.	REVISION	BY	DATE	APPR.
1	MINOR AMENDMENT	JND	7/16	
2				
3				
4				
5				
6				

Kimley-Horn and Associates, Inc.
2012 KIMLEY-HORN AND ASSOCIATES, INC.
990 South Broadway, Suite 200
Denver, Colorado 80209 (303) 228-2300



DESIGNED BY: EUG
DRAWN BY: DBH
CHECKED BY: RJP
DATE: 3/2/2012

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
PRELIMINARY GRADING AND DRAINAGE PLAN

PROJECT NO.
096259000
DRAWING NAME
SITEPLAN_GD
9




2012000054220



KEY NOTES
[Symbol] PROPOSED PORTLAND CEMENT CONCRETE PAVEMENT

- GENERAL NOTES**
1. PROTECT ALL EXISTING UTILITIES AND/OR FACILITIES THAT SHALL REMAIN IN PLACE. DAMAGE TO EXISTING UTILITIES AND/OR FACILITIES SHALL BE REPAIRED BY THE CONTRACTOR AT THE CONTRACTOR'S EXPENSE.
 2. DESIGN CONTOURS REPRESENT FINISHED GRADE. CONTOURS AND PERCENT OF SLOPE ARE APPROXIMATE AND SHOWN AS SUPPLEMENTAL INFORMATION ONLY.
 3. NO SLOPE TO EXCEED 4:1:1.




NO.	REVISION	BY	DATE	APPROVED
1	COMMENT RESPONSES	BV	4/20	
2	OPDC SUBMITTAL	BV	5/9	
3	COA RESUBMITTAL	BV	5/11	
4	COA RESUBMITTAL	BV	6/8	
5	OPDC SUBMITTAL	BV	6/29	
6	COA SITE PLAN MYLAR	BV	7/16	

Kimley-Horn and Associates, Inc.
2012 KIMLEY-HORN AND ASSOCIATES, INC.
990 South Broadway, Suite 200
Denver, Colorado 80209 (303) 228-2300
DESIGNED BY: EJC
DRAWN BY: DBH
CHECKED BY: RJP
DATE: 3/2/2012


UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
PRELIMINARY GRADING AND DRAINAGE PLAN


PROJECT NO.
096259000
DRAWING NAME
SITEPLAN_GD
11

2012000054220




2012000054220






2012000054220



1	COMMENT RESPONSES	JAG	4/20
2	GPDC SUBMITTAL	JAG	5/4
3	COA RESUBMITTAL	JAG	5/4
4	COA RESUBMITTAL	JAG	5/8
5	GPDC SUBMITTAL	JAG	9/28
6	COA SITE PLAN INITIAL	JAG	7/19
NO.	REVISION	BY	DATE
1	DESIGNED BY: JKG		
2	DRAWN BY: JKG		
3	CHECKED BY: KRS		
4	DATE: 7-16-12		

associates inc.
2953 South Peoria Street, Ste 101
Aurora, Colorado 80014
303-770-7201 FAX 770-7132
Planning, Landscape Architecture, Market Research




NO.	REVISION	BY	DATE	APPROVED
1	COMMENT RESPONSES	JKG	4/20	
2	GDRC SUBMITTAL	JKG	5/9	
3	COA RESUBMITTAL	JKG	5/11	
4	COA RESUBMITTAL	JKG	6/8	
5	GDRC SUBMITTAL	JKG	6/29	
6	COA SITE PLAN	M.Y.L.A.R.	7/16	


DESIGNED BY: JKG
DRAWN BY: JKG
CHECKED BY: KRS
DATE: 7-16-12


associates inc.
2953 South Peoria Street, Ste 101
Aurora, Colorado 80014
303-770-7201 FAX 770-7132
Planning, Landscape Architecture, Interior Design


2012000054220



2012000054220












PLANT SCHEDULE

	SYMBOL	QTY.	SCIENTIFIC NAME	COMMON NAME	SIZE	WATER REQ.
DECIDUOUS TREES	EPD	10	Ulmus parvifolia 'Drake'	Drake Elm	2.5" CAL.	MED.
	HBW	15	Celtis occidentalis	Western Hackberry	2.5" CAL.	LOW
	MAB	10	Acer x freemanii Autumn Blaze	Autumn Blaze Maple	3.0" CAL.	MED.
	MAB	3	Acer x freemanii Autumn Blaze	Autumn Blaze Maple	2.5" CAL.	MED.
	AHS	18	Fraxinus pennsylvanica 'Summit'	Summit Ash	2.5" CAL.	MED.
	LRM	7	Tilia americana 'Redmond'	Redmond Linden	3.0" CAL.	MED.
	LRM	15	Tilia americana 'Redmond'	Redmond Linden	2.5" CAL.	MED.
TOTAL 78						
ORNAMENTAL TREES	SAB	18	Amelanchier x grandiflora 'Autumn Brilliance'	Autumn Brilliance Serviceberry	2.5" CAL.	MED.
	HTC	18	Crataegus crus-galli var. inermis	Thornless Cockspur Hawthorn	2.5" CAL.	XERIC
	TOTAL	36				
EVERGREEN TREES	CBS	26	Picea pungens	Colorado Spruce	8" TALL	MED.
	CBS	26	Picea pungens	Colorado Spruce	10" TALL	MED.
	PAS	19	Pinus nigra	Austrian Pine	8" TALL	MED.
	PAS	20	Pinus nigra	Austrian Pine	10" TALL	MED.
	PPN	19	Pinus edulis	Pinyon Pine	8" TALL	XERIC
	PPN	20	Pinus edulis	Pinyon Pine	10" TALL	XERIC
	TOTAL	130				
DECIDUOUS SHRUBS	LDP	73	Amorpha canescens	Leadplant	5 GAL.	XERIC
	SBM	143	Caryopteris x clandonensis	Blue Mist Spirea	5 GAL.	XERIC
	PCY	77	Ligustrum vulgaris 'Cheyenne'	Cheyenne Privet	5 GAL.	XERIC
	RNW	150	Rosa 'Nearly Wild'	Nearly Wild Rose	5 GAL.	XERIC
	SRM	103	Rhus glabra cismontana	Rocky Mountain Sumac	5 GAL.	LOW
	PGF	84	Potentilla fruticosa 'Gold Finger'	Gold Finger Potentilla	5 GAL.	LOW
	BRJ	82	Berberis thunbergii 'Atropurpurea'	Redleaf Japanese Barberry	5 GAL.	LOW
	BFL	95	Frangula alnus Fine Line	Tall Fernleaf Buckthorn	5 GAL.	LOW
	BBY	71	Shepherdia argentea	Buffaloberry	5 GAL.	XERIC
	PSS	57	Caragana arborescens	Siberian Peashrub	5 GAL.	LOW
	RSA	80	Perovskia atriplicifolia	Russian Sage	5 GAL.	XERIC
	JAC	22	Juniperus communis Alpine Carpet	Alpine Carpet Juniper	5 GAL.	LOW
TOTAL 1037						
ORNAMENTAL GRASSES	GBB	42	Andropogon gerardii	Big Bluestem Grass	1 GAL.	XERIC
	GMF	114	Nesselia (Stipa) tenuissima	Mexican Feather Grass	1 GAL.	XERIC
	GBG	83	Bouteloua gracilis	Blue Grama Grass	1 GAL.	LOW
	GLB	54	Pennisetum alopecuroides 'Little Bunny'	Miniature Fountain Grass	1 GAL.	LOW
	TOTAL	293				
PERENNIALS	3" O.C.	62	Vinca minor 'Bowles Variety'	Bowles Periwinkle	1 GAL.	LOW
	TOTAL	62				

	SOD - 75,495 S.F. 75,074 S.F.		NATIVE SEED - 297,724 S.F.		ROCK MULCH - 194,252 S.F. 194,368 S.F.
	GRAY BREEZE - 2,175 S.F.		PERENNIAL GROUND COVER 3" O.C. - 561 S.F.		

GENERAL NOTES

- THE LANDSCAPING SHOWN ON THIS PLAN REPRESENTS THE MINIMUM LEVEL OF IMPROVEMENTS TO BE INSTALLED BY THE DEVELOPER, SUCCESSORS, OR ASSIGNS.
- CONTRACTOR TO VERIFY FIELD CONDITIONS AND NOTIFY THE LANDSCAPE ARCHITECT OF ANY DISCREPANCIES PRIOR TO PROCEEDING WITH THE WORK.
- CONTRACTOR SHALL HAVE UTILITIES STAKED OR LOCATED (1-800-922-1987) AT LEAST 48 HOURS PRIOR TO BEGINNING CONSTRUCTION.
- ALL TREES SHALL BE A MINIMUM OF 10' FROM EXISTING WATER LINE OR IRRIGATION MAINLINE (IF POSSIBLE).
- DEVELOPER SHALL ENSURE THAT THE LANDSCAPE PLAN IS COORDINATED WITH THE PLANS PREPARED BY OTHER CONSULTANTS SO THAT THE PROPOSED GRADING, STORM DRAINAGE, OR OTHER CONSTRUCTION DOES NOT CONFLICT WITH NOR PRECLUDE INSTALLATION AND MAINTENANCE OF LANDSCAPE ELEMENTS AS DESIGNATED ON THIS PLAN.
- NATIVE SEED SHALL BE WATERED A MAXIMUM OF ONE CALENDAR YEAR FROM DATE OF INSTALLATION.
- SAND CREEK METRO DISTRICT TO APPROVE ALL CONCRETE FORMS ON SIDEWALK ADJACENT TO 40TH AVE. BEFORE CONCRETE IS POURED. CONTRACTOR TO MAKE ANY AND ALL ADJUSTMENTS NECESSARY TO GAIN APPROVAL FROM THE DISTRICT.
- NO SLOPES TO EXCEED 4:1.

GATEWAY PARK DESIGN REVIEW COMMITTEE LANDSCAPE NOTES

- ALL CONIFEROUS TREES MUST BE A MINIMUM OF 8' IN HEIGHT WITH A MINIMUM 50:50 MIX OF 8' AND 10' HEIGHTS. TALLER TREES MAY BE REQUIRED AT THE DISCRETION OF THE GPDR. ALL STREET TREES ALONG 40TH AVE. SHALL BE A MINIMUM OF 3" CALIPER.
- ALL PLANTING BEDS IN LOT ONE SHALL BE MULCHED WITH 2" INCH WOOD BARK MULCH WITHOUT LANDSCAPE FABRIC TO A MIN. DEPTH OF 4 INCHES. ALL PLANTING BEDS IN LOT TWO SHALL BE MULCHED WITH 2" INCH ROCK MULCH WITH LANDSCAPE FABRIC. ALL ROCK MULCH BEDS SHALL BE A MIX OF 2 1/2" TO 4" INCH DIAMETER TAN COBBLE ROCK A MINIMUM OF 4 INCHES DEEP PER SPECIFICATIONS.
- THE DEVELOPER, HIS SUCCESSORS AND ASSIGNS, SHALL BE RESPONSIBLE FOR INSTALLATION, MAINTENANCE AND REPLACEMENT OF ALL LANDSCAPING MATERIALS SHOWN OR INDICATED ON THE APPROVED SITE PLAN, OR LANDSCAPE PLAN ON FILE IN THE PLANNING DEPARTMENT. ANY DAMAGE TO EXISTING LANDSCAPE AND/OR IRRIGATION SHALL BE REPAIRED AND/OR REPLACED AT CONTRACTOR'S EXPENSE. ALL LANDSCAPING WILL BE INSTALLED PRIOR TO A CERTIFICATE OF OCCUPANCY.
- ALL STEEL LANDSCAPE EDGING SHALL BE RYERSON PRE-FINISHED METAL EDGER IN A DARK GREEN COLOR.
- GATEWAY PARK SOD MIX AVAILABLE AT KRAMER'S TURF FARM (303) 659-1982 SHALL BE USED IN ALL SOD AREAS. ANY DEVIATION FROM THE BLEND SPECIFIED BELOW MUST BE APPROVED IN WRITING FROM THE GPDR.
 - 25% SR2100 KENTUCKY BLUE GRASS
 - 25% NuGlade
 - 25% FREEDOM II
 - 25% AWARD OR
 - 25% LIVINGSTONE, 25% GLADE, 25% LIMOUSINE, 25% TOUCHDOWN
- ALL BRANCHES WHICH MIGHT HINDER EITHER PEDESTRIAN OR VEHICULAR MOVEMENTS SHALL BE REMOVED. ANY BRANCHES OVER PEDESTRIAN WALKWAYS SHALL BE A MINIMUM OF 6' ABOVE THE PAVEMENT SURFACE AND A MINIMUM OF 11'-6" WHERE THEY OVERHANG IN AREAS WHERE VEHICULAR MOVEMENT IS POSSIBLE.
- ALL LANDSCAPE AREAS TO BE WATERED BY AN AUTOMATIC UNDERGROUND IRRIGATION SYSTEM. ALL SOD AREAS TO USE NETAFIM. ALL SHRUB BEDS WILL BE DRIP IRRIGATED. LOT 1 TO BE IRRIGATED WITH EXISTING SCMD SYSTEM. LOT 2 TO BE IRRIGATED WITH UNFI SYSTEM.
- NO SUBSTITUTIONS OF PLANT MATERIAL SHALL BE MADE WITHOUT WRITTEN AUTHORIZATION FROM THE LANDSCAPE ARCHITECT AND THE GPDR.
- IN THE EVENT OF ANY DISCREPANCIES BETWEEN THE DRAWINGS AND THE PLANT SCHEDULE, THE DRAWINGS SHALL PREVAIL.

CITY OF AURORA STANDARD NOTES AND TABLES

- SOIL PREPARATION SHALL BE FOUR CUBIC YARDS OF ORGANIC MATERIAL PER 1,000 SF OF AREA MINIMUM.
- FREE STANDING LIGHTS SHALL CONSIST OF THE FOLLOWING THREE FIXTURES: 400W METAL HALIDE, FULL CUTOFF SINGLE CURVILINEAR TYPE FIXTURES MOUNTED ON ROUND TAPERED STEEL POLES; 400 METAL HALIDE, FULL CUTOFF 2-HEAD CURVILINEAR TYPE FIXTURES MOUNTED ON ROUND TAPERED STEEL POLES; AND 400W METAL HALIDE, FULL CUTOFF SINGLE HEAD CURVILINEAR TYPE FIXTURES MOUNTED ON BUILDING. SEE LIGHTING PLAN.
- SURFACE MATERIALS OF WALKS AND PLAZAS SHALL BE CONCRETE. SURFACE MATERIAL OF VEHICULAR DRIVES AND PARKING LOTS SHALL BE ASPHALT.
- ALL DECORATIVE AND VINYL FENCING SHALL BE AT A HEIGHT OF SIX FEET.
- ALL UTILITY EASEMENTS SHALL REMAIN UNOBSTRUCTED AND FULLY ACCESSIBLE ALONG THEIR ENTIRE LENGTH FOR MAINTENANCE EQUIPMENT ENTRY.
- THE DEVELOPER, HIS SUCCESSORS AND ASSIGNS, SHALL BE RESPONSIBLE FOR INSTALLATION, MAINTENANCE AND REPLACEMENT OF ALL LANDSCAPING MATERIALS SHOWN OR INDICATED ON THE APPROVED SITE PLAN OR LANDSCAPE PLAN ON FILE IN THE CITY OF AURORA PLANNING DEPARTMENT. ALL LANDSCAPING WILL BE INSTALLED AS DELINEATED ON THE PLAN, PRIOR TO ISSUANCE OF CERTIFICATE OF OCCUPANCY.
- ALL LANDSCAPED AREAS AND PLANT MATERIAL MUST BE WATERED BY AN AUTOMATIC UNDERGROUND IRRIGATION SYSTEM. ALL CONTROLLERS FOR THESE SYSTEMS SHALL BE CONNECTED TO AUTOMATIC SHUTOFF RAIN SENSORS.
- LANDSCAPE MATERIAL PLACEMENT SHALL NOT BE PLACED OR KEPT NEAR FIRE HYDRANTS, FIRE DEPARTMENT INLET CONNECTIONS OR FIRE PROTECTION CONTROL VALVES IN A MANNER THAT WOULD PREVENT SUCH EQUIPMENT OR FIRE HYDRANTS FROM BEING IMMEDIATELY DISCERNIBLE. THE FIRE DEPARTMENT SHALL NOT BE DETERRED OR HINDERED FROM GAINING IMMEDIATE ACCESS TO FIRE PROTECTION EQUIPMENT OR HYDRANTS. A 5 FOOT CLEAR SPACE SHALL BE MAINTAINED AROUND THE CIRCUMFERENCE OF FIRE HYDRANTS.
- LANDSCAPING MATERIAL SHOWN WITHIN THE SITE PLAN CANNOT ENCR OACH INTO ROADWAYS THAT ARE DEDICATED (OR DESIGNATED) AS FIRE LANE EASEMENTS (OR CORRIDORS).

TABLE OF STREET FRONTAGE AND NON-STREET FRONTAGE BUFFER LANDSCAPE REQUIREMENTS

BUFFER DESCRIPTION / LENGTH / ADJ. LAND USE	STANDARD BUFFER WIDTH** / BUFFER WIDTH PROVIDED	BUFFER REDUCTION FEATURES	# TREES REQUIRED 1 / 40 L.F.	# SHRUBS REQUIRED 5 / 40 L.F.	# TREES PROVIDED	# SHRUBS PROVIDED
STREET FRONTAGE (TREE LAWN) / 750 L.F.	17 FEET / 70 FEET	BERMED XERISCAPE	19	94	55	163
STREET PERIMETER BUFFER / 1,942 L.F.	6 FEET / 33 FEET	XERISCAPE	49	243	49	103 140* 243
NON-STREET FRONTAGE BUFFER / 2,618 L.F.	6 FEET / 20 FEET	XERISCAPE	65	327	52*	115*

*LANDSCAPE EQUIVALENTS USED: 1 TREE EQUALS 10 FIVE GALLON SHRUBS. 1 TREE EQUALS 30 ONE GALLON SHRUBS.
*NORTH-WEST LANDSCAPE BUFFER IS FUTURE EXPANSION TO BE LANDSCAPED CONCURRENT WITH PROPOSED DOCK EXPANSION.

SITE DATA TABLE

TOTAL SITE AREA	1,694,484.0 S.F.	100%	INCLUDING BUILDING EXPANSION
BUILDING COVERAGE	545,596* S.F. ±	32.2%	BUILDING COVERAGE 715,296 S.F. ± 42.2%
HARD SURFACE AREA	476,614 S.F. ±	28.1%	HARD SURFACE AREA 501,322 S.F. ± 29.6%
LANDSCAPE AREA	672,275 S.F. ±	39.7%	LANDSCAPE AREA 477,867 S.F. ± 28.2%
MAXIMUM % OF COOL SEASON GRASSES ALLOWED:	189,953 S.F.	33%	
% OF COOL SEASON GRASSES PROVIDED:	98,635* S.F. ±	17.2%	

*NORTH-EAST (REAR) ELEVATION OF BUILDING WILL HAVE A FUTURE EXPANSION. FUTURE EXPANSIONS APPROXIMATELY 189,800 S.F. ± AND HAS BEEN EXCLUDED FROM THIS CALCULATION. PROPOSED FUTURE PARKING AREA IS 61,198 S.F. ± AND HAS BEEN EXCLUDED FROM THIS CALCULATION. 25% OF NATIVE SEED MIX COMPRISED OF WARM SEASON GRASSES AND HAS BEEN EXCLUDED FROM THIS CALCULATION.

NON-RESIDENTIAL BUILDING ELEVATION LANDSCAPING INFORMATION

ELEVATION	ELEVATION LENGTH	# TREES REQUIRED 1 / 40 L.F.	# TREES PROVIDED	TOTAL LENGTH OF PLANTERS OR PLANT BEDS REQUIRED. MUST EQUAL OR EXCEED 1/3 ELEVATION LENGTH	TOTAL LENGTH OF PLANTERS OR PLANT BED PROVIDED
SOUTH-WEST (FRONT ELEVATION)	660 FEET	17	16	220 FEET	370 FEET
SOUTH-EAST (SIDE ELEVATION)	170 FEET *	5	3	57 FEET	108 FEET
NORTH-EAST (REAR ELEVATION)	480 FEET *	12	0	160 FEET	0 FEET
NORTH-WEST (SIDE ELEVATION)	903 FEET *	23	8	301 FEET	10 FEET

*SOUTH-EAST (SIDE) ELEVATION HAS A TOTAL DISTANCE OF 1,115 FEET. 945 FEET IS LOADING DOCK AND HAS BEEN EXCLUDED FROM THIS CALCULATION.

*NORTH-EAST (REAR) ELEVATION OF BUILDING WILL HAVE A FUTURE EXPANSION.

*NORTH-WEST (SIDE) ELEVATION HAS A TOTAL DISTANCE OF 1,052 FEET. 149 FEET IS LOADING DOCK AND HAS BEEN EXCLUDED FROM THIS CALCULATION.

NATIVE SEED INFORMATION

ARKANSAS VALLEY SEED Foothills MIX

20% ANNUAL RYEGRASS - COOL SEASON
15% SLENDER WHEATGRASS - COOL SEASON
10% MOUNTAIN BROME - COOL SEASON
10% PUBESCENT WHEATGRASS - COOL SEASON
10% CANADA BLUEGRASS - COOL SEASON
8% INDIANGRASS - WARM SEASON
7% SIDE OATS GRAMA - WARM SEASON
5% BLUE GRAMA - WARM SEASON
5% SWITCHGRASS - WARM SEASON

SEEDING RATES:
DRILLED: 25 LBS/ACRE OR
BROADCAST: 15 LBS/ACRE

1	COMMENT RESPONSES	JKG	4/20
2	GPDR SUBMITTAL	JKG	5/9
3	COA RESUBMITTAL	JKG	5/11
4	COA RESUBMITTAL	JKG	6/3
5	GPDR SUBMITTAL	JKG	6/23
6	COA SITE PLAN MTLAR	JKG	7/18
7	MINO COMMENT	JKG	7/18
8	REVISION	BT	DATE APPR.

thk associates inc.
2863 South Peoria Street, Ste 101
Aurora, Colorado 80014
303-770-7201 FAX 770-7132
Planning, Landscape Architecture, Market Research



DESIGNED BY: JKG
DRAWN BY: JKG
CHECKED BY: KRS
DATE: 7-16-12

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1

LANDSCAPE PLAN


PROJECT NO.
7085-000
LANDSCAPE PLAN

7085-000 unfr. facility dwgs, bases, Vitme's hom 7-16-12 for myel. vit's plan unfr -- standard\STEPAN_1B.dwg Julie Carnec
this document, together with the concepts and various presented herein, is an instrument of service, is intended only for the persons purpose, and client for whom it was prepared. REUSE OF AND IMPROPER RELIANCE ON THIS DOCUMENT WITHOUT WRITTEN AUTHORIZATION AND ASSUMPTION BY KALE-HORN AND ASSOCIATES, INC. SHALL BE WITHOUT LIABILITY TO KALE-HORN AND ASSOCIATES, INC.




DECIDUOUS TREE PLANTING DETAIL
N.T.S.

[illegible]



2012000054220



1 KH - OVERALL ROOF PLAN
24 1" = 50'-0"

KEYNOTE LEGEND	
KEY	TEXT
7-1	45 mil WHITE TPO OVER TWO LAYERS OF 3" & ONE LAYER OF 2" POLYISOCYANURATE (R-48 MIN.) OVER GALVANIZED METAL DECK (FREEZER & COOLER)
7-2	45 mil WHITE TPO OVER TWO LAYERS OF 2.5" POLYISOCYANURATE (R-30 MIN.) OVER GALVANIZED METAL DECK (FUTURE COOLER)
7-3	45 mil WHITE TPO OVER TWO LAYERS OF 1.75" POLYISOCYANURATE (R-20 MIN.) OVER PRIME-PAINTED METAL DECK (OFFICE/DRY)
7-4	BUILT-UP INSULATION CRICKET, SEE ROOF PLAN FOR LOCATION(S)
7-6	PRE-FINISHED ALUMINUM COPING, COLOR TO BE EP-3 ON MAIN BUILDING, COLOR TO BE EP-1 ON OFFICE
7-7	PRE-FINISHED ALUMINUM GUTTER, SEE SCUPPER/DOWNSPOUT NOTES FOR SIZING, COLOR TO BE EP-3
7-8	PRE-FINISHED ALUMINUM FULLY-ENCLOSED DOWNSPOUT, SEE SCUPPER/DOWNSPOUT FOR SIZING, COLOR TO BE EP-2, U.N.O.
8-12	ROOF HATCH, SEE ROOF PLANS FOR LOCATIONS AND SIZES
10-2	PRE-MANUFACTURED METAL CANOPY (SMOKERS CANOPY), COLOR TO MATCH EP-4
13-1	INFIT COOLER / FREEZER PERSONNEL DOOR, SEE DOOR SCHEDULE
23-3	WHITE JACKETED REFRIGERATION PIPING, SEE REFRIGERATION DRAWINGS FOR DETAILS
23-4	SPINNAKER CORRUGATED SLIDING PANEL OFFICE RTU SCREENING, SEE MANUFACTURER'S DETAILS

1	COMMENTS	BT	04/16/12
2	COMMENTS	BT	05/08/12
3	COMMENTS	BT	05/11/12
4	COMMENTS	BT	06/08/12
5	COMMENTS	BT	06/28/12
6	COMMENTS	BT	07/02/12
NO.	REVISION	BY	DATE

**RANDALL
PAULSON**
architects

Roswell, GA
85-A Mill Street, Suite 200
Roswell, Georgia 30075
T: 770.650.7558 F: 770.650.7559
architects@randallpaulson.com

These plans and specifications are the property of Randall Paulson Architects, Incorporated. These documents may not be copied, reproduced, used or represented in any way, in part or in whole, without the written consent of Randall Paulson Architects, Incorporated. All common law rights of copyright are hereby expressly reserved.


DESIGNED BY: BT
DRAWN BY: BT
CHECKED BY:
DATE: 03/02/2012

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
BUILDING ROOF PLAN

PROJECT NO.
RPA #2011155.00

DRAWING NAME
ROOF PLAN

24



FENCE SECTION ELEVATION
WITH TOP RAIL & WITHOUT BARBED WIRE

SECTION 32-31-13 CHAIN LINK FENCES AND GATES
A. EXTERIOR CHAIN LINK FENCE FRAMEWORK, FABRIC, AND ACCESSORIES.
B. EXCAVATION FOR POST BASES; CONCRETE FOUNDATION FOR POSTS.
C. MANUAL GATES AND RELATED HARDWARE.

- 2.02 MATERIALS**
A. POSTS, RAILS, AND FRAMES: ASTM F1083 SCHEDULE 40 HOT-DIPPED GALVANIZED STEEL PIPE, WELDED CONSTRUCTION, MINIMUM YIELD STRENGTH OF 30 KSI.
B. WIRE FABRIC: ASTM F688 POLYMER-COATED STEEL CHAIN LINK FABRIC.
C. CONCRETE: TYPE SPECIFIED IN SECTION 03-30-00.

- 2.03 COMPONENTS**
A. LINE POSTS: 2.38 INCH DIAMETER.
B. CORNER AND TERMINAL POSTS: 2.88 INCH.
C. GATE POSTS: 4.5 INCH DIAMETER.
D. TOP, BOTTOM AND BRACE RAIL: 1.66 INCH DIAMETER, PLAIN END, SLEEVE COUPLED.
E. GATE FRAME: MINIMUM 1.9 INCH DIAMETER FOR WELDED FABRICATION, TO BE SIZED FOR DIMENSION OF OPENING.
F. FABRIC: 1.75 INCH DIAMOND MESH INTERWOVEN WIRE, 9 GAGE THICK, TOP SELVAGE KNUCKLE END CLOSED, BOTTOM SELVAGE TWISTED TIGHT.

- 2.04 ACCESSORIES**
A. CAPS: CAST STEEL GALVANIZED; SIZED TO POST DIAMETER, SET SCREW RETAINER, BLACK VINYL FINISH.
B. FITTINGS: SLEEVES, BANDS, CLIPS, RAIL ENDS, TENSION BARS, FASTENERS AND FITTINGS; STEEL, BLACK VINYL FINISH.
C. HARDWARE FOR SINGLE SWINGING GATES: 180 DEGREE HINGES, 2 FOR GATES UP TO 60 INCHES HIGH, 3 FOR TALLER GATES; FORK LATCH WITH GRAVITY DROP AND PADLOCK HASP; KEEPER TO HOLD GATE IN FULLY OPEN POSITION, BLACK VINYL FINISH.
D. HARDWARE FOR DOUBLE SWINGING GATES: 180 DEGREE HINGES, 2 FOR GATES UP TO 60 INCHES HIGH, 3 FOR TALLER GATES; DROP BOLT ON INACTIVE LEAF ENGAGING SOCKET STOP SET IN CONCRETE, ACTIVE LEAF LATCHED TO INACTIVE LEAF PREVENTING RAISING OF DROP BOLT, PADLOCK HASP; KEEPERS TO HOLD GATE IN FULLY OPEN POSITION, BLACK VINYL FINISH.


- 2.05 FINISHES**
A. COMPONENTS AND FABRIC: VINYL COATED OVER COATING OF 1.8 OZ/SQ FT GALVANIZING.
B. HARDWARE: HOT-DIP GALVANIZED TO WEIGHT REQUIRED BY ASTM A153/A153M, PAINTED BLACK.
C. ACCESSORIES: SAME FINISH AS FABRIC.
D. COLOR(S): BLACK.

- 3.03 SCHEDULES**
A. EXTERIOR PERIMETER FENCING & GATES: BLACK VINYL COATED - 6' HIGH AT NORTH SIDE OF WEST TRUCK COURT AS INDICATED ON DRAWINGS.
B. EXTERIOR PERIMETER FENCING & GATES: BLACK VINYL COATED - 6' HIGH AT EAST SIDE OF BUILDING EXTENDING TO INCLUDE TRUCK MAINTENANCE BUILDING AS INDICATED ON DRAWINGS.

NOTE: GATE MUST CLEAR GRADE BY 6" WHERE GATE CROSSES FIRE LANE.

VINYL FENCE AND GATE

1
25
1/2" = 1'-0"



SECTION 32-31-19 DECORATIVE METAL FENCES AND GATES

- 2.02 FENCES**
A. FENCES: COMPLETE FACTORY-FABRICATED SYSTEM OF POSTS AND PANELS, ACCESSORIES, FITTINGS, AND FASTENERS; FINISHED WITH ELECTRODEPOSITION COATING, AND HAVING THE FOLLOWING PERFORMANCE CHARACTERISTICS:
1. CAPABLE OF RESISTING VERTICAL LOAD, HORIZONTAL LOAD AND INFILL PERFORMANCE REQUIREMENTS FOR FENCE CATEGORIES DEFINED IN ASTM F2408.
B. ELECTRO-DEPOSITION COATING: MULTI-STAGE PRETREATMENT/WASH WITH ZINC PHOSPHATE, FOLLOWED BY EPOXY PRIMER AND ACRYLIC TOPCOAT, BLACK VINYL FINISH.
1. TOTAL COATING THICKNESS: 2 MILS, MINIMUM.
2. COLOR: BLACK VINYL FINISH.
3. COATING PERFORMANCE: COMPLY WITH GENERAL REQUIREMENTS OF ASTM F2408.
A. ADHESION: ASTM D3359 (METHOD B); CLASS 3B WITH 90 PERCENT OR MORE OF COATING REMAINING IN TESTED AREA.
B. CORROSION RESISTANCE: ASTM B117, D 714 AND D 1654; 1/8 INCH COATING LOSS OR MEDIUM NO.8 BLISTERS AFTER 1,500 HOURS.
C. IMPACT RESISTANCE: ASTM D2794; 60 INCH POUNDS.
D. WEATHERING RESISTANCE: ASTM D523, D 822 AND D 2244; LESS THAN 60 PERCENT LOSS OF GLOSS.
C. STEEL: ASTM A653/A653M; YIELD STRENGTH 45,000 PSI, MINIMUM.
1. HOT-DIP GALVANIZED; A 653/A653M, G60, BLACK VINYL FINISH.
2. 62 PERCENT RECYCLED STEEL, MINIMUM, BLACK VINYL FINISH.
D. FASTENERS: TYPE 302 STAINLESS STEEL, BLACK VINYL FINISH.
1. TAMPER-PROOF SECURITY BOLTS.

DECORATIVE FENCE AND GATE

2
25
1/2" = 1'-0"


SECTION 32-31-19 DECORATIVE METAL FENCES AND GATES (CONTINUED)

- 2.03 ROLLING GATES**
A. PICKETS, RAILS, UPRIGHTS AND POSTS SHALL BE PRECUT TO SPECIFIED LENGTHS. DIAGONALS SHALL BE PRECUT TO SPECIFIED LENGTHS AND ANGLES. FRAME MATERIALS SHALL BE JOINED BY WELDING. PICKETS SHALL BE FACE WELDED TO ROLL GATE FRAME.
B. THE MANUFACTURED ROLL GATES SHALL BE SUBJECT TO THE PERMACOAT® THERMAL STRATIFICATION COATING PROCESS (HIGH TEMPERATURE, IN-LINE, MULTI-STAGE, MULTI-LAYER) INCLUDING, AS A MINIMUM, A SIX-STAGE PRE-TREATMENT/WASH (WITH ZINC PHOSPHATE), AN ELECTROSTATIC SPRAY APPLICATION OF AN EPOXY BASE, AND A SEPARATE ELECTROSTATIC SPRAY APPLICATION OF A POLYESTER FINISH. THE BASE COAT SHALL BE A THERMOSETTING EPOXY POWDER COATING (GRAY IN COLOR) WITH A MINIMUM THICKNESS OF 2 MILS (0.0508MM). THE TOPCOAT SHALL BE A "NO-MAR" TGIC POLYESTER POWDER COAT FINISH WITH A MINIMUM THICKNESS OF 2 MILS (0.0508MM). THE COLOR SHALL BE BLACK.
C. COMPLETED GATES SHALL BE CAPABLE OF SUPPORTING A 200 LB. LOAD APPLIED AT MIDSPAN WITHOUT PERMANENT DEFORMATION.
D. PROVIDE ALL ASSOCIATED HARDWARE, GUIDES, ROLLERS, SUPPORTS AND MOTORIZED OPERATOR(S) INCLUDING CONTROLS FOR A COMPLETE SYSTEM ON MOTORIZED GATE(S).
E. PROVIDE FOR REMOTE OPENING OF BARRIERS BY SIGNALING DEVICE AS REQUIRED BY LOCAL ORDINANCES FOR FIRE DEPARTMENT VEHICLES ON MOTORIZED GATE(S).

- 2.04 MECHANICALLY FASTENED STEEL FENCE**
A. PROVIDE FENCE MEETING REQUIREMENTS FOR INDUSTRIAL CLASS AS DEFINED BY ASTM F2408.
B. FENCE PANELS: MECHANICALLY FASTENED WITH INTERNAL REINFORCEMENT AND TAMPERPROOF FASTENERS; 6 FEET HIGH BY 8 FEET LONG.
1. PANEL STYLE: THREE RAIL WITH DECORATIVE RINGS.
2. PANEL STRENGTH: CAPABLE OF SUPPORTING 600 POUND LOAD APPLIED AT MIDSPAN WITHOUT DEFLECTION.
3. ATTACH PANELS TO POSTS WITH MANUFACTURER'S STANDARD PANEL BRACKETS.
C. POSTS:
1. SIZE: 4 INCHES SQUARE BY 12 GAGE, WITH MANUFACTURER'S STANDARD CAP, BLACK VINYL FINISH.
2. POST CAP: BALL, BLACK VINYL FINISH.
D. RAILS: MANUFACTURER'S STANDARD, DOUBLE-WALL STEEL CHANNEL; 1-3/4 INCH SQUARE BY 14 GAGE WITH PRE-PUNCHED PICKET HOLES, BLACK VINYL FINISH.
1. PICKET RETAINING RODS: 0.125 INCH GALVANIZED STEEL, BLACK VINYL FINISH.
2. PICKET-TO-RAIL INTERSECTION SEALS: PVC GROMMETS, BLACK VINYL FINISH.
E. PICKETS: STEEL TUBE, BLACK VINYL FINISH.
1. SPACING: 4.175 INCH ON CENTER.
2. SIZE: 1 INCH SQUARE BY 14 GAGE.
3. STYLE: PICKETS WITH FINIAL EXTEND ABOVE TOP RAIL.
4. FINIAL: SPEAR POINT.
F. FLEXIBILITY: CAPABLE OF FOLLOWING VARIABLE SLOPE OF UP TO 1:4.
G. COLOR: BLACK.

- 3.05 SCHEDULE**
A. PROVIDE ORNAMENTAL FENCING AND GATES AT WEST AND EAST TRUCK COURTS AS INDICATED ON THE DRAWINGS.
B. PROVIDE MOTOR OPERATED ROLLING GATE AT WEST TRUCK COURT AND MANUAL OPERATED ROLLING GATES AT EAST TRUCK COURT AS INDICATED ON THE DRAWINGS.
C. PROVIDE ORNAMENTAL FENCING AT BREAKROOM PATIO.

NOTE: GATE MUST CLEAR GRADE BY 6" WHERE GATE CROSSES FIRE LANE.



NOTE: FLAG POLE TO BE ROUND TAPERED POLE, FINISHED EP-4 (RAL 6012) GREEN; WITH INTERNAL HALYARD. COLOR SAMPLE TO BE PROVIDED TO GPRC PRIOR TO FLAGPOLE BEING ORDERED.

FLAGPOLE DETAIL


3
25
1" = 1'-0"

NO.	REVISION	BY	DATE	APPR.
1	COMMENTS	BT	04/18/12	
2	COMMENTS	BT	06/01/12	
3	COMMENTS	BT	05/11/12	
4	COMMENTS	BT	06/08/12	
5	COMMENTS	BT	06/28/12	
6	COMMENTS	BT	07/16/12	
7	COMMENTS	BT	07/16/12	
8	COMMENTS	BT	07/16/12	
9	COMMENTS	BT	07/16/12	
10	COMMENTS	BT	07/16/12	
11	COMMENTS	BT	07/16/12	
12	COMMENTS	BT	07/16/12	
13	COMMENTS	BT	07/16/12	
14	COMMENTS	BT	07/16/12	
15	COMMENTS	BT	07/16/12	
16	COMMENTS	BT	07/16/12	
17	COMMENTS	BT	07/16/12	
18	COMMENTS	BT	07/16/12	
19	COMMENTS	BT	07/16/12	
20	COMMENTS	BT	07/16/12	
21	COMMENTS	BT	07/16/12	
22	COMMENTS	BT	07/16/12	
23	COMMENTS	BT	07/16/12	
24	COMMENTS	BT	07/16/12	
25	COMMENTS	BT	07/16/12	

DESIGNED BY: BT
DRAWN BY: BT
CHECKED BY: BT
DATE: 03/02/2012

PROJECT NO.
RPA #2011155.00
DRAWING NAME
DETAILS

25



1 KH SECTION - MAIN OFFICE PATIO CANOPY
27 1/2" = 1'-0"


KH SECTION - SHIPPING OFFICE CANOPY

SECTION - MAIN OFFICE PATIO FENCE

NOTE: TRUCK MAINTENACE FUEL SCREENING GATE SIMILAR

ELEVATION - RECYCLING AREA

5 SWING ARM GATE, KNOX-BOX, DOUBLE-HEIGHT CALL BOX
27 1/2" = 1'-0"

 RANDALL PAULSON architects	(Roswell, MI) 85-A Mill Street, Suite 200 Roswell, Georgia 30075 t.770.650.7558 f.770.650.7655 www.randallpaulson.com		Revised/Revised/Revised: These plans and specifications are the property of Randall Paulson Architects, Incorporated. These documents may not be copied, reproduced, or be implemented in any way, in whole or in part, without the written permission of Randall Paulson Architects, Incorporated. All content rights of copyright are hereby specifically reserved.		DESIGNED BY: BT DRAWN BY: BT CHECKED BY: DATE: 03/02/2012
	1	COMMENTS	BT	04/18/12	
	2	COMMENTS	BT	06/04/12	
	3	COMMENTS	BT	06/04/12	
	4	COMMENTS	BT	07/18/12	
5	COA SITE PLAN MYLAR	BT			
NO.	REVISION	BY	DATE	APPR.	


UNFIAT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
ARCHITECTURAL DETAILS SHEET

PROJECT NO.
RPA #2011155.00

DRAWING NAME
DETAILS

27

NOTE: COLORS HIDDEN FOR CLARITY



1
28
1/4" = 1'-0"

DETAIL - DOCK DOOR ELEVATION

SECTION 08-36-13 SECTIONAL DOORS

2.02 STEEL DOOR COMPONENTS

- A. STEEL DOORS: FLUSH STEEL, INSULATED; STANDARD LIFT OPERATING STYLE WITH TRACK AND HARDWARE; COMPLYING WITH DASMA 102, COMMERCIAL APPLICATION.
1. PERFORMANCE: WITHSTAND POSITIVE AND NEGATIVE WIND LOADS EQUAL TO 1.5 TIMES DESIGN WIND LOADS SPECIFIED BY LOCAL CODE WITHOUT DAMAGE OR PERMANENT SET, WHEN TESTED IN ACCORDANCE WITH ASTM E330, USING 10 SECOND DURATION OF MAXIMUM LOAD.
2. DOOR NOMINAL THICKNESS: 2 INCHES THICK.
3. EXTERIOR FINISH: PRE-FINISHED WITH BAKED ENAMEL OF COLOR AS SELECTED.
4. INTERIOR FINISH: PRE-FINISHED WITH BAKED ENAMEL OF COLOR AS SELECTED.
5. GLAZED LIGHTS: ONE GLAZED LIGHTS PER PANEL, LOCK SIDE OF DOOR, ONE ROW; SET IN PLACE WITH RESILIENT GLAZING CHANNEL.
6. OPERATION: PULL ROPE.
- B. DOOR PANELS: FLUSH STEEL CONSTRUCTION; OUTER STEEL SHEET OF 0.036 INCH (20 GAGE) THICK, RIBBED PROFILE; INNER STEEL SHEET OF 0.018 INCH (26 GAGE) THICK, FLAT PROFILE; CORE REINFORCEMENT OF 0.060 INCH THICK SHEET STEEL ROLL FORMED TO CHANNEL SHAPE, RABBETED WEATHER JOINTS AT MEETING RAILS; INSULATED.
- C. GLAZING: TYPE S-4 SPECIFIED IN SECTION 08-60-00.

2.03 DOOR COMPONENTS

- A. TRACK: ROLLED GALVANIZED STEEL, 0.120 INCH (11 GAGE) THICK; 3 INCH WIDE, CONTINUOUS ONE PIECE PER SIDE; GALVANIZED STEEL MOUNTING BRACKETS 1/4 INCH THICK.
- B. HINGE AND ROLLER ASSEMBLIES: HEAVY DUTY HINGES AND ADJUSTABLE ROLLER HOLDERS OF GALVANIZED STEEL; FLOATING HARDENED STEEL BEARING ROLLERS, LOCATED AT TOP AND BOTTOM OF EACH PANEL, EACH SIDE.
- C. LIFT MECHANISM: TORSION SPRING ON CROSS HEAD SHAFT, WITH BRAIDED GALVANIZED STEEL LIFTING CABLES.
1. FOR MANUAL OPERATION: REQUIRING MAXIMUM EXERTION OF 25 LBS FORCE TO OPEN.
2. SPRINGS RATED FOR 50,000 CYCLES.
- D. SILL WEATHERSTRIPPING: RESILIENT HOLLOW RUBBER STRIP, ONE PIECE; FITTED TO BOTTOM OF DOOR PANEL, FULL LENGTH CONTACT.
- E. JAMB WEATHERSTRIPPING: ROLL FORMED STEEL SECTION FULL HEIGHT OF JAMB, FITTED WITH RESILIENT WEATHERSTRIPPING, PLACED IN MODERATE CONTACT WITH DOOR PANELS.
- F. HEAD WEATHERSTRIPPING: EPDM RUBBER SEAL, ONE PIECE FULL LENGTH.
- G. PANEL JOINT WEATHERSTRIPPING: NEOPRENE FOAM SEAL, ONE PIECE FULL LENGTH.
- H. LOCK: INSIDE SIDE MOUNTED, ADJUSTABLE KEEPER, SPRING ACTIVATED LATCH BAR WITH FEATURE TO RETAIN IN LOCKED OR RETRACTED POSITION; INTERIOR HANDLE. MOUNT AT 60" ABOVE FINISH FLOOR.
- I. EACH DOOR TO HAVE FOOT PLATES.

2.04 MATERIALS

- A. SHEET STEEL: HOT-DIPPED GALVANIZED STEEL SHEET, ASTM A653/A653M, WITH G60/Z180 COATING, PLAIN SURFACE.
- B. INSULATION: RIGID POLYURETHANE, BONDED TO FACING.
1. R VALUE OF 17.5, MINIMUM.
2. SAME THICKNESS AS CORE FRAMING MEMBERS.

SECTION 11-13-16 LOADING DOCK SEALS AND SHELTERS

2.02 COMPONENTS

A. STATIONARY DOCK SHELTER:

1. ROLL FORMED, GALVANIZED STEEL FRAME WITH STANDARD 2" X 4" SIDES & 2" X 6" RAKED TOP
2. OUTSIDE EDGE OF FACE CURTAINS CAPPED WITH ALUMINUM TRIM ANGLES
3. HEAD CURTAIN INCLUDES FIVE FIBERGLASS STAYS, FOUR OVERLAPPING WEAR PLEATS PER SIDE, & WIND STRAPS
4. SIDE CURTAINS INCLUDE CLOSED CELL NEOPRENE INSIDE SEALING EDGE & BOTTOM WEAR PANEL
5. STANDARD BASE UNIT FRAME PROJECTION: 24"
6. STANDARD I-BEAM PROTECTOR PROJECTION: 10"
7. EACH SHELTER INCLUDES ONE PAIR FOAM DRAFT PADS & ONE PAIR STRUCTURAL I-BEAM PROTECTORS
8. SHELTER SIDES COVERED WITH TRANSLUCENT WHITE VINYL, SHELTER TOP COVERED WITH BLACK VINYL
9. INCLUDE LIFT GATE REINFORCEMENT PACKAGE.
10. INCLUDE CORNER PADS TO PREVENT DAMAGE FROM LIFT GATES.

SECTION 05-51-00 METAL STAIRS

2.03 METAL STAIRS WITH GRATING TREADS

- A. JOINTING AND FINISH QUALITY LEVEL: SERVICE, AS DEFINED ABOVE.

B. RISERS: OPEN.

C. TREADS: STEEL BAR GRATING.

1. GRATING TYPE: WELDED.

2. BEARING BAR DEPTH: 3/4 INCH, MINIMUM.

3. TOP SURFACE: STANDARD.

4. NOSING: CHECKERED PLATE.

5. NOSING WIDTH: 1-1/4 INCH, MINIMUM.

6. ANCHORAGE TO STRINGERS: END PLATES WELDED TO GRATING, BOLTED TO STRINGERS.

D. STRINGERS: ROLLED STEEL CHANNELS.

1. STRINGER DEPTH: 10 INCHES.

2. END CLOSURE: SHEET STEEL OF SAME THICKNESS AS RISERS WELDED ACROSS ENDS.

E. LANDINGS: SAME CONSTRUCTION AS TREADS, SUPPORTED AND REINFORCED AS REQUIRED TO ACHIEVE DESIGN LOAD CAPACITY.

F. RAILINGS: STEEL PIPE RAILINGS.

G. FINISH: GALVANIZED AFTER FABRICATION.

SECTION 05-52-13 PIPE AND TUBE RAILINGS

2.02 STEEL RAILING SYSTEM

A. STEEL PIPE: ASTM A 53/A 53M, GRADE B SCHEDULE 40, SEE DRAWINGS FOR FINISH.

B. WELDING FITTINGS: FACTORY- OR SHOP-WELDED FROM MATCHING PIPE OR TUBE; SEAMS CONTINUOUSLY WELDED; JOINTS AND SEAMS GROUND SMOOTH.

C. EXPOSED FASTENERS: FLUSH COUNTERSUNK SCREWS OR BOLTS; CONSISTENT WITH DESIGN OF RAILING.

D. STRAIGHT SPLICE CONNECTORS: STEEL WELDING COLLARS.

E. GALVANIZING: IN ACCORDANCE WITH REQUIREMENTS OF ASTM A123/A123M.

1. TOUCH-UP PRIMER FOR GALVANIZED SURFACES: ZRC GALVILITE AS MANUFACTURED BY ZRC WORLDWIDE.

F. SHOP AND TOUCH-UP PRIMER: SSPC 15, TYPE 1, GRAY OXIDE, COMPLYING WITH VOC LIMITATIONS OF AUTHORITIES HAVING JURISDICTION.

THERMOMASS EXTERIOR PANEL, SEE THERMOMASS WALL TYPE LEGEND FOR ADDITIONAL INFORMATION.

INFIT FREEZER PERSONNEL DOOR, SEE DOOR SCHEDULE; ALL EXTERIOR PERSONNEL DOORS TO BE PAINTED TO MATCH EP-2.

GALVANIZED OPEN-METAL GRATE STAIRS AND LANDING, PAINT TO MATCH EP-2.

1 1/2" OD STEEL PIPE GUARDRAIL, PAINT TO MATCH EP-2.

GALVANIZED OPEN-METAL GRATE STAIRS, SEE DETAILS.

1 1/4" OD STEEL PIPE HANDRAIL, PAINT TO MATCH EP-2.

6" OD CONCRETE FILLED STEEL PIPE BOLLARD, EXTERIOR BOLLARDS TO BE PAINTED EP-4 (RAL 6012 GREEN).

CONCRETE PAD, SEE CIVIL DRAWINGS

4'-0" TRUCK COURT

2
28
1/4" = 1'-0"

SECTION - WEST DOCK STAIR, TYP.

NO.	REVISION	BY	DATE	APPR
1	COMMENTS	BT	04/19/12	
2	COMMENTS	BT	05/09/12	
3	COMMENTS	BT	05/11/12	
4	COMMENTS	BT	06/08/12	
5	COMMENTS	BT	06/29/12	
6	COMMENTS	BT	07/04/12	




Rosewell Mill
85-A Mill Street, Suite 200
Rosewell, Georgia 30075
t: 770.650.7558 f: 770.650.7559
architects@randallpaulson.com

These plans and specifications are the property of Randall Paulson Architects, Inc. and are not to be reproduced, copied, or used in any way without the written consent of Randall Paulson Architects, Inc. Any unauthorized use of these plans and specifications is strictly prohibited.

DESIGNED BY: BT
DRAWN BY: BT
CHECKED BY:
DATE: 03/02/2012

UNFIAT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
ARCHITECTURAL DETAILS SHEET

PROJECT NO.
RPA #2011155.00
DRAWING NAME
DETAILS
28



SECTION 11-14.51
TRUCK SCALE

2.01 BASE BID MANUFACTURER
A. US SCALE, MODEL TB1160S-R, WWW.USSCALE.COM.
B. OTHER ACCEPTABLE MANUFACTURERS.
1. SUBSTITUTIONS: SEE SECTION 01-60-00 - PRODUCT REQUIREMENTS.

2.02 SCALE SYSTEM
A. PROVIDE A COMPLETE WEIGHING SYSTEM INCLUDING TREAD PLATES, LOAD CELLS AND RAMPS FOR "DRIVE-ON" WEIGH SCALE WITH READ OUT PROVIDED IN MAINTENANCE OFFICE.
B. SCALE TO BE LOCATED AT TRUCK MAINTENANCE FACILITY.

2.03 PRINTER
A. THE PRINTER SHALL BE HOUSED IN A SUITABLE ENCLOSURE FOR DESKTOP MOUNTING.
B. THE PRINTER SHALL INTERFACE WITH THE SCALE INSTRUMENT USING A SINGULAR CABLE WITH QUICK CONNECTORS ON EACH END AND SHALL NOT REQUIRE ANY MODIFICATIONS TO THE INSTRUMENT OR PRINTER.
C. THE PRINTER SHALL BE CAPABLE OF PRINTING ALL INFORMATION SENT FROM THE SCALE INSTRUMENT INCLUDING:
1. GROSS, TARE, AND NET WEIGHTS
2. TIME AND DATE
3. TRANSACTION COUNTER NUMBER
4. 12 DIGIT NUMERIC I.D.


2.04 JUNCTION BOXES AND CABLES
A. ALL JUNCTION BOXES SHALL BE NEMA 4X RATED AND CONSTRUCTED OF STAINLESS STEEL.
B. JUNCTION BOXES SHALL BE ACCESSIBLE FOR INSPECTION AND MAINTENANCE FROM THE TOP OF THE SCALE PLATFORM.
C. LOAD CELL AND SCALE PLATFORM TO SCALE INSTRUMENT CABLES SHALL BE STAINLESS STEEL SHEATHED FOR ENVIRONMENTAL AND RODENT PROTECTION.

3.01 EXAMINATION
A. VERIFY THAT CONCRETE FOUNDATION IS READY TO RECEIVE WORK AND DIMENSIONS ARE AS INDICATED ON SHOP DRAWINGS.
B. VERIFY THAT ALL CONDUITS ARE IN PLACE AND CORRECTLY RUN.
C. VERIFY THAT ROUGH-IN ELECTRICAL CHARACTERISTICS ARE AS REQUIRED FOR PROPER OPERATION.


3.02 INSTALLATION
A. INSTALL IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS.

3.03 STARTING EQUIPMENT AND SYSTEMS
A. PROVIDE MANUFACTURER'S FIELD REPRESENTATIVE TO PREPARE AND START SYSTEMS.
B. ADJUST FOR PROPER OPERATION WITHIN MANUFACTURER'S PUBLISHED TOLERANCES.
C. DEMONSTRATE PROPER OPERATION OF SYSTEM TO UNFIS DESIGNATED REPRESENTATIVE.


1
DETAIL - TRUCK SCALE




2
DETAIL - PIPES @ GRID 4



3
DETAIL - PIPES @ GRIDS 8, 11



4
DETAIL - PIPES @ GRID 17



5
DETAIL - ROOF PIPE SCREEN

1	COMMENTS	BT	06/05/12	DATE	APPR
2	COMMENTS	BT	06/05/12	DATE	APPR
3	COMMENTS	BT	07/16/12	DATE	APPR

RANDALL PAULSON
architects

Rosewell Mill
85-A Mill Street, Suite 200
Roswell, Georgia 30075
t: 770.650.7558 f: 770.650.7559
architects@randallpaulson.com
randallpaulson.com


DESIGNED BY: BT
DRAWN BY: BT
CHECKED BY: BT
DATE: 05/11/12







UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
ARCHITECTURAL DETAILS SHEET

PROJECT NO.
RPA #2011155.00

DRAWING NAME
DETAILS

29



PAINT LEGEND				
TAG	KEY	COLOR	MANUF.	LOCATION
EP-1		UNIVERSAL KHAKI	SW 8150	FIELD
EP-2		QUIVER TAN	SW 8151	ACCENT
EP-3		ROCK GARDEN	SW 6195	ACCENT
EP-4		BLACK GREEN	RAL 9012	ACCENT
ST-1		ALPINE HARVEST LEDGESTONE	CULTURED STONE	OFFICE / ACCENT
ST-2		ALPINE CHARDONNAY LEDGESTONE	CULTURED STONE	OFFICE / ACCENT

NOTE: ALL COLORS TO BE APPROVED BY OWNER BEFORE APPLICATION

THE OVERPASS AT 48TH AVENUE AND PENA BOULEVARD;
THE NORTH PROPERTY LINE OF GATEWAY PARK IMMEDIATELY NORTH OF THE NORTH BUILDING WALL;
THE OVERPASS OF AIRPORT BOULEVARD AND INTERSTATE 70;
THE INTERSECTION OF TOWER ROAD AND E. 40TH AVENUE;
THE LOCATION OF THE NORTH PROPERTY LINE OF GATEWAY PARK AND TOWER ROAD;
E. 40TH AVENUE IMMEDIATELY ADJACENT TO THE PROJECT SITE;
ROTH DISTRIBUTION PARKING LOT;
GOLDBUG PARKING LOT.

KEYNOTE LEGEND..	
KEY	TEXT
3-8	THERMOMASS EXTERIOR PANEL, SEE THERMOMASS WALL TYPE LEGEND
3-9	7 1/4" CANTILEVER TILT-UP PANEL SCREEN WALL, SEE STRUCTURAL DRAWINGS
3-18	CONCRETE 1 1/2" TYPE "A" "V" REVEAL
3-19	CONCRETE 5 1/2" TYPE "B" REVEAL
7-6	PRI-FINISHED ALUMINUM COPING, COLOR TO BE EP-3 ON MAIN BUILDING, COLOR TO BE EP-1 ON OFFICE
7-9	PRI-FINISHED ALUMINUM SCUPPER, SEE SCUPPER/DOWNSPOUT FOR SIZING, COLOR TO BE EP-3.
8-1	HOLLOW METAL PERSONNEL DOOR, SEE DOOR SCHEDULE
8-6	OVERHEAD COILING DOOR, SEE DOOR SCHEDULE
8-7	YIK AP ALUMINUM STOREFRONT FRAME WITH PPG DURANAR COATING TO MATCH EP-3 WITH TEMPERED INSULATED GLAZING WITH PPG ATLANTICA COATING (GREEN TINT), SEE DETAILS
8-11	VENTILATION LOUVER, SEE MECHANICAL DRAWINGS
8-15	KNOX BOX - FINAL LOCATION(S) TO MATCH THE APPROVED PLANNING DEPARTMENT SITE PLAN
21-1	FIRE DEPARTMENT CONNECTION - FINAL LOCATION TO MATCH THE APPROVED PLANNING DEPARTMENT SITE PLAN
32-1	6' HIGH ORNAMENTAL FENCE


UNFIAT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
BUILDING ELEVATIONS

PROJECT NO.	PA #2011155.00
DRAWING NAME	ELEVATIONS

1


MINOR AMENDMENT
JMD 01/07/24

2012000054220




OVERALL WEST ELEVATION

1" = 50'-0"



WEST ELEVATION - SOUTH HALF

1/32" = 1'-0"



WEST ELEVATION - NORTH HALF

1/32" = 1'-0"

PAINT LEGEND				
TAG	KEY	COLOR	MANUF.	LOCATION
EP-1		UNIVERSAL KHAKI	SW 6150	FIELD
EP-2		QUIVER TAN	SW 6151	ACCENT
EP-3		ROCK GARDEN	SW 6195	ACCENT
EP-4		BLACK GREEN	RAL 6012	ACCENT
ST-1		ALPINE HARVEST LEDGESTONE	CULTURED STONE	OFFICE / ACCENT
ST-2		ALPINE CHARDONNAY LEDGESTONE	CULTURED STONE	OFFICE / ACCENT
NOTE: ALL COLORS TO BE APPROVED BY OWNER BEFORE APPLICATION				

CONDITIONS OF APPROVAL:

STANDARD FIELD PANEL: PRIOR TO APPLICATION OF ANY FINISHES E.G. PAINT, STONE, METALS, SCREENING, YOU SHALL INSTALL A FIELD PANEL INCLUDING ALL PROPOSED EXTERIOR FINISHES FOR INSPECTION AND APPROVAL BY THE GPDRC;

ROOFTOP MECHANICAL AND PIPING SCREENING FIELD PANEL AND INSPECTIONS: PRIOR TO FULL INSTALLATION OF ANY PROPOSED SCREENING OF THE ROOFTOP REFRIGERANT PIPING, YOU SHALL PREPARE A ROOFTOP FIELD PANEL USING BOTH OF THE TWO PROPOSED ALTERNATIVE SCREENING MATERIALS E.G. VINYL FENCE AND EXPANDED METAL AND SCHEDULE A TOUR AMONG THE GPDRC, CITY OF AURORA, AND UNFI REPRESENTATIVES TO DETERMINE (1) THE MOST SUITABLE SCREENING MATERIAL AND IF THE EXTENT OF THE PROPOSED SCREENING MATERIALS AS SHOWN ON THE PLANS IS SUFFICIENT TO EFFECTIVELY SCREEN THE REFRIGERANT PIPING AND TO CREATE THE APPEARANCE OF A "SINGLE" SCREENED ASSEMBLY AMONG THE INDIVIDUAL PENTHOUSES LOCATED ON THE ROOF. SAID DETERMINATION OF EFFECTIVENESS TO BE MADE FROM, AT MINIMUM, THE BELOW LISTED VANTAGE POINTS:

THE OVERPASS AT 48TH AVENUE AND PENNA BOULEVARD;
THE NORTH PROPERTY LINE OF GATEWAY PARK IMMEDIATELY NORTH OF THE NORTH BUILDING WALL;
THE OVERPASS OF AIRPORT BOULEVARD AND INTERSTATE 70;
THE INTERSECTION OF TOWER ROAD AND E. 40TH AVENUE;
THE LOCATION OF THE NORTH PROPERTY LINE OF GATEWAY PARK AND TOWER ROAD;
E. 40TH AVENUE IMMEDIATELY ADJACENT TO THE PROJECT SITE;
ROTH DISTRIBUTION PARKING LOT;
GOLDBUG PARKING LOT.

KEYNOTE LEGEND	
KEY	TEXT
3-8	THERMOMASS EXTERIOR PANEL, SEE THERMOMASS WALL TYPE LEGEND
3-17	KNOCK-OUT FOR FUTURE OPENING
3-18	CONCRETE 1 1/2" TYPE "A" "V" REVEAL
3-19	CONCRETE 5 1/2" TYPE "B" REVEAL
5-7	GALVANIZED OPEN-METAL GRATE STAIRS, SEE DETAILS FOR PAINT COLORS
7-1	45 mil WHITE TPO OVER TWO LAYERS OF 3" & ONE LAYER OF 2" POLYISOCYANURATE (R-48 MIN.) OVER GALVANIZED METAL DECK (FREEZER & COOLER)
7-3	45 mil WHITE TPO OVER TWO LAYERS OF 1.75" POLYISOCYANURATE (R-20 MIN.) OVER PRIME-PAINTED METAL DECK (OFFICE/DRY)
7-6	PRE-FINISHED ALUMINUM COPING, COLOR TO BE EP-3 ON MAIN BUILDING, COLOR TO BE EP-1 ON OFFICE
7-8	PRE-FINISHED ALUMINUM FULLY-ENCLOSED DOWNSPOUT, SEE SCUPPER/DOWNSPOUT FOR SIZING, COLOR TO BE EP-2, U.N.O.
8-1	HOLLOW METAL PERSONNEL DOOR, SEE DOOR SCHEDULE
8-5	INSULATED OVERHEAD DOCK SECTIONAL DOOR, SEE DOOR SCHEDULE
8-7	YKK AP ALUMINUM STOREFRONT FRAME WITH PPG DURANAR COATING TO MATCH EP-3 WITH TEMPERED INSULATED GLAZING WITH PPG ATLANTICA COATING (GREEN TINT), SEE DETAILS
13-1	INFIT COOLER / FREEZER PERSONNEL DOOR, SEE DOOR SCHEDULE

NO.	REVISION	BY	DATE	APPR.
1	COMMENTS	BT	04/19/12	
2	COMMENTS	BT	05/09/12	
3	COMMENTS	BT	05/11/12	
4	COMMENTS	BT	06/06/12	
5	COMMENTS	BT	06/29/12	
6	COMMENTS	BT	07/16/12	



**RANDALL
PAULSON**
architects


85-A Mill Street, Suite 200
Roswell, Georgia 30075
T: 770.650.7558 F: 770.650.7559
architects@randallpaulson.com

These plans and specifications are the property of Randall Paulson Architects, Incorporated. Their disclosure may not be used, reproduced, or transmitted in any way, in part or in whole, without the written consent of Randall Paulson Architects, Incorporated. All reserved rights of copyright are hereby specifically reserved.


DESIGNED BY: BT
DRAWN BY: BT
CHECKED BY:
DATE: 03/02/2012

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
BUILDING ELEVATIONS


PROJECT NO.
RPA #201155.00
DRAWING NAME
ELEVATIONS



1 OVERALL EAST ELEVATION
1" = 50'-0"



2 EAST ELEVATION - SOUTH HALF
1/32" = 1'-0"



3 EAST ELEVATION - NORTH HALF
1/32" = 1'-0"

PAINT LEGEND				
TAG	KEY	COLOR	MANUF.	LOCATION
EP-1		UNIVERSAL KHAKI	SW 6150	FIELD
EP-2		QUIVER TAN	SW 6151	ACCENT
EP-3		ROCK GARDEN	SW 6195	ACCENT
EP-4		BLACK GREEN	RAL 6012	ACCENT
ST-1		ALPINE HARVEST LEDGESTONE	CULTURED STONE	OFFICE / ACCENT
ST-2		ALPINE CHARDONWAY LEDGESTONE	CULTURED STONE	OFFICE / ACCENT
NOTE: ALL COLORS TO BE APPROVED BY OWNER BEFORE APPLICATION				

CONDITIONS OF APPROVAL:

STANDARD FIELD PANEL: PRIOR TO APPLICATION OF ANY FINISHES E.G. PAINT, STONE, METALS, SCREENING, YOU SHALL INSTALL A FIELD PANEL INCLUDING ALL PROPOSED EXTERIOR FINISHES FOR INSPECTION AND APPROVAL BY THE GPDRC;

ROOFTOP MECHANICAL AND PIPING SCREENING FIELD PANEL AND INSPECTIONS: PRIOR TO FULL INSTALLATION OF ANY PROPOSED SCREENING OF THE ROOFTOP REFRIGERANT PIPING, YOU SHALL PREPARE A ROOFTOP FIELD PANEL USING BOTH OF THE TWO PROPOSED ALTERNATIVE SCREENING MATERIALS E.G. VINYL FENCE AND EXPANDED METAL AND SCHEDULE A TOUR AMONG THE GPDRC, CITY OF AURORA, AND UNFI REPRESENTATIVES TO DETERMINE (1) THE MOST SUITABLE SCREENING MATERIAL AND IF THE EXTENT OF THE PROPOSED SCREENING MATERIALS AS SHOWN ON THE PLANS IS SUFFICIENT TO EFFECTIVELY SCREEN THE REFRIGERANT PIPING AND TO CREATE THE APPEARANCE OF A "SINGLE" SCREENED ASSEMBLY AMONG THE INDIVIDUAL PENTHOUSES LOCATED ON THE ROOF. SAID DETERMINATION OF EFFECTIVENESS TO BE MADE FROM, AT MINIMUM, THE BELOW LISTED VANTAGE POINTS:
THE OVERPASS AT 48TH AVENUE AND PEÑA BOULEVARD;
THE NORTH PROPERTY LINE OF GATEWAY PARK IMMEDIATELY NORTH OF THE NORTH BUILDING WALL;
THE OVERPASS OF AIRPORT BOULEVARD AND INTERSTATE 70;
THE INTERSECTION OF TOWER ROAD AND E. 40TH AVENUE;
THE LOCATION OF THE NORTH PROPERTY LINE OF GATEWAY PARK AND TOWER ROAD;
E. 40TH AVENUE IMMEDIATELY ADJACENT TO THE PROJECT SITE;
ROTH DISTRIBUTION PARKING LOT;
GOLDBUG PARKING LOT.

KEYNOTE LEGEND..	
KEY	TEXT
3-8	THERMOMASS EXTERIOR PANEL, SEE THERMOMASS WALL TYPE LEGEND
3-18	CONCRETE 1 1/2" TYPE "A" V REVEAL
3-19	CONCRETE 5 1/2" TYPE "B" REVEAL
7-1	45 mil WHITE TPO OVER TWO LAYERS OF 3" & ONE LAYER OF 2" POLYISOCYANURATE (R-48 MIN.) OVER GALVANIZED METAL DECK (FREEZER & COOLER)
7-2	45 mil WHITE TPO OVER TWO LAYERS OF 2.5" POLYISOCYANURATE (R-30 MIN.) OVER GALVANIZED METAL DECK (FUTURE COOLER)
7-3	45 mil WHITE TPO OVER TWO LAYERS OF 1.75" POLYISOCYANURATE (R-20 MIN.) OVER PRIME-PAINTED METAL DECK (OFFICE/DRY)
7-6	PRE-FINISHED ALUMINUM COPING, COLOR TO BE EP-3 ON MAIN BUILDING, COLOR TO BE EP-1 ON OFFICE
7-7	PRE-FINISHED ALUMINUM GUTTER, SEE SCUPPER/DOWNSPOUT NOTES FOR SIZING, COLOR TO BE EP-3
7-8	PRE-FINISHED ALUMINUM FULLY ENCLOSED DOWNSPOUT, SEE SCUPPER/DOWNSPOUT FOR SIZING, COLOR TO BE EP-2, U.N.O.
8-1	HOLLOW METAL PERSONNEL DOOR, SEE DOOR SCHEDULE
8-5	INSULATED OVERHEAD DOCK SECTIONAL DOOR, SEE DOOR SCHEDULE
8-7	YKK AP ALUMINUM STOREFRONT FRAME WITH PPG DURANAR COATING TO MATCH EP-3 WITH TEMPERED INSULATED GLAZING WITH PPG ATLANTICA COATING (GREEN TINT), SEE DETAILS
11-4	DOCK DOOR SHELTER, SEE MANUFACTURER'S DETAILS
11-8	4' TALL, 1/4" BENT-PLATE DOWNSPOUT PROTECTOR, PAINTED TO MATCH DOWNSPOUT
23-4	SPINNER CORRUGATED SLIDING PANEL OFFICE RTU SCREENING, SEE MANUFACTURER'S DETAILS

1
COMMENTS

2
COMMENTS

3
COMMENTS

4
COMMENTS

5
COMMENTS

6
COMMENTS

7
COMMENTS

8
COMMENTS

9
COMMENTS

10
COMMENTS

11
COMMENTS

12
COMMENTS

13
COMMENTS

14
COMMENTS

15
COMMENTS

16
COMMENTS

17
COMMENTS

18
COMMENTS

19
COMMENTS

20
COMMENTS

21
COMMENTS

22
COMMENTS

23
COMMENTS

24
COMMENTS

25
COMMENTS

26
COMMENTS

27
COMMENTS

28
COMMENTS

29
COMMENTS

30
COMMENTS

31
COMMENTS

32
COMMENTS

33
COMMENTS

34
COMMENTS

35
COMMENTS

36
COMMENTS

37
COMMENTS

38
COMMENTS

39
COMMENTS

40
COMMENTS

41
COMMENTS

42
COMMENTS

43
COMMENTS

44
COMMENTS

45
COMMENTS

46
COMMENTS

47
COMMENTS

48
COMMENTS

49
COMMENTS

50
COMMENTS

51
COMMENTS

52
COMMENTS

53
COMMENTS

54
COMMENTS

55
COMMENTS

56
COMMENTS

57
COMMENTS

58
COMMENTS

59
COMMENTS

60
COMMENTS

61
COMMENTS

62
COMMENTS

63
COMMENTS

64
COMMENTS

65
COMMENTS

66
COMMENTS

67
COMMENTS

68
COMMENTS

69
COMMENTS

70
COMMENTS

71
COMMENTS

72
COMMENTS

73
COMMENTS

74
COMMENTS

75
COMMENTS

76
COMMENTS

77
COMMENTS

78
COMMENTS

79
COMMENTS

80
COMMENTS

81
COMMENTS

82
COMMENTS

83
COMMENTS

84
COMMENTS

85
COMMENTS

86
COMMENTS

87
COMMENTS

88
COMMENTS

89
COMMENTS

90
COMMENTS

91
COMMENTS

92
COMMENTS

93
COMMENTS

94
COMMENTS

95
COMMENTS

96
COMMENTS

97
COMMENTS

98
COMMENTS

99
COMMENTS

100
COMMENTS

101
COMMENTS

102
COMMENTS

103
COMMENTS

104
COMMENTS

105
COMMENTS

106
COMMENTS

107
COMMENTS

108
COMMENTS

109
COMMENTS

110
COMMENTS

111
COMMENTS

112
COMMENTS

113
COMMENTS

114
COMMENTS

115
COMMENTS

116
COMMENTS

117
COMMENTS

118
COMMENTS

119
COMMENTS

120
COMMENTS

121
COMMENTS

122
COMMENTS

123
COMMENTS

124
COMMENTS

125
COMMENTS

126
COMMENTS

127
COMMENTS

128
COMMENTS

129
COMMENTS

130
COMMENTS

131
COMMENTS

132
COMMENTS

133
COMMENTS

134
COMMENTS

135
COMMENTS

136
COMMENTS

137
COMMENTS

138
COMMENTS

139
COMMENTS

140
COMMENTS

141
COMMENTS

142
COMMENTS

143
COMMENTS

144
COMMENTS

145
COMMENTS

146
COMMENTS

147
COMMENTS

148
COMMENTS

149
COMMENTS

150
COMMENTS

151
COMMENTS

152
COMMENTS

153
COMMENTS

154
COMMENTS

155
COMMENTS

156
COMMENTS

157
COMMENTS

158
COMMENTS

159
COMMENTS

160
COMMENTS

161
COMMENTS

162
COMMENTS

163
COMMENTS

164
COMMENTS

165
COMMENTS

166
COMMENTS

167
COMMENTS

168
COMMENTS

169
COMMENTS

170
COMMENTS

171
COMMENTS

172
COMMENTS

173
COMMENTS

174
COMMENTS

175
COMMENTS

176
COMMENTS

177
COMMENTS

178
COMMENTS

179
COMMENTS

180
COMMENTS

181
COMMENTS

182
COMMENTS

183
COMMENTS

184
COMMENTS

185
COMMENTS

186
COMMENTS

187
COMMENTS

188
COMMENTS

189
COMMENTS

190
COMMENTS

191
COMMENTS

192
COMMENTS

193
COMMENTS

194
COMMENTS

195
COMMENTS

196
COMMENTS

197
COMMENTS

198
COMMENTS

199
COMMENTS

200
COMMENTS

201
COMMENTS

202
COMMENTS

203
COMMENTS

204
COMMENTS

205
COMMENTS

206
COMMENTS

207
COMMENTS

208
COMMENTS

209
COMMENTS

210
COMMENTS

211
COMMENTS

212
COMMENTS

213
COMMENTS

214
COMMENTS

215
COMMENTS

216
COMMENTS

217
COMMENTS

218
COMMENTS

219
COMMENTS

220
COMMENTS

221
COMMENTS

222
COMMENTS

223
COMMENTS

224
COMMENTS

225
COMMENTS

226
COMMENTS

227
COMMENTS

228
COMMENTS

229
COMMENTS

230
COMMENTS

231
COMMENTS

232
COMMENTS

233
COMMENTS

234
COMMENTS

235
COMMENTS

236
COMMENTS

237
COMMENTS

238
COMMENTS

239
COMMENTS

240
COMMENTS

241
COMMENTS

242
COMMENTS

243
COMMENTS

244
COMMENTS

245
COMMENTS

246
COMMENTS

247
COMMENTS

248
COMMENTS

249
COMMENTS

250
COMMENTS

251
COMMENTS

252
COMMENTS

253
COMMENTS

254
COMMENTS

255
COMMENTS

256
COMMENTS

257
COMMENTS

258
COMMENTS

259
COMMENTS

260
COMMENTS

261
COMMENTS

262
COMMENTS

263
COMMENTS

264
COMMENTS

265
COMMENTS

266
COMMENTS

267
COMMENTS

268
COMMENTS

269
COMMENTS

270
COMMENTS

271
COMMENTS

272
COMMENTS

273
COMMENTS

274
COMMENTS

275
COMMENTS

276
COMMENTS

277
COMMENTS

278
COMMENTS

279
COMMENTS

280
COMMENTS

281
COMMENTS

282
COMMENTS

283
COMMENTS

284
COMMENTS

285
COMMENTS

286
COMMENTS

287
COMMENTS

288
COMMENTS

289
COMMENTS

290
COMMENTS

291
COMMENTS

292
COMMENTS

293
COMMENTS

294
COMMENTS

295
COMMENTS

296
COMMENTS

297
COMMENTS

298
COMMENTS

299
COMMENTS

300
COMMENTS

301
COMMENTS

302
COMMENTS

303
COMMENTS

304
COMMENTS

305
COMMENTS

306
COMMENTS

307
COMMENTS

308
COMMENTS

309
COMMENTS

310
COMMENTS

311
COMMENTS

312
COMMENTS

313
COMMENTS

314
COMMENTS

315
COMMENTS

316
COMMENTS

317
COMMENTS

318
COMMENTS

319
COMMENTS

320
COMMENTS

321
COMMENTS

322
COMMENTS

323
COMMENTS

324
COMMENTS

325
COMMENTS

326
COMMENTS

327
COMMENTS

328
COMMENTS

329
COMMENTS

330
COMMENTS

331
COMMENTS

332
COMMENTS

333
COMMENTS

334
COMMENTS

335
COMMENTS

336
COMMENTS

337
COMMENTS

338
COMMENTS

339
COMMENTS

340
COMMENTS

341
COMMENTS

342
COMMENTS

343
COMMENTS

344
COMMENTS

345
COMMENTS

346
COMMENTS

347
COMMENTS

348
COMMENTS

349
COMMENTS

350
COMMENTS

351
COMMENTS

352
COMMENTS

353
COMMENTS

354
COMMENTS

355
COMMENTS

356
COMMENTS

357
COMMENTS

358
COMMENTS

359
COMMENTS

360
COMMENTS

361
COMMENTS

362
COMMENTS

363
COMMENTS

364
COMMENTS

365
COMMENTS

366
COMMENTS

367
COMMENTS

368
COMMENTS

369
COMMENTS

370
COMMENTS

371
COMMENTS

372
COMMENTS

373
COMMENTS

374
COMMENTS

375
COMMENTS

376
COMMENTS

377
COMMENTS

378
COMMENTS

379
COMMENTS

380
COMMENTS

381
COMMENTS

382
COMMENTS

383
COMMENTS

384
COMMENTS

385
COMMENTS

386
COMMENTS

387
COMMENTS

388
COMMENTS

389
COMMENTS

390
COMMENTS

391
COMMENTS

392
COMMENTS

393
COMMENTS

394
COMMENTS

395
COMMENTS

396
COMMENTS

397
COMMENTS

398
COMMENTS

399
COMMENTS

400
COMMENTS

401
COMMENTS

402
COMMENTS

403
COMMENTS

404
COMMENTS

405
COMMENTS

406
COMMENTS

407
COMMENTS

408
COMMENTS

409
COMMENTS

410
COMMENTS

411
COMMENTS

412
COMMENTS

413
COMMENTS

414
COMMENTS

415
COMMENTS

416
COMMENTS

417
COMMENTS

418
COMMENTS

419
COMMENTS

420
COMMENTS

421
COMMENTS

422
COMMENTS

423
COMMENTS

424
COMMENTS

425
COMMENTS

426
COMMENTS

427
COMMENTS

428
COMMENTS

429
COMMENTS

430
COMMENTS

431
COMMENTS

432
COMMENTS

433
COMMENTS

434
COMMENTS

435
COMMENTS

436
COMMENTS

437
COMMENTS

438
COMMENTS

439
COMMENTS

440
COMMENTS

441
COMMENTS

442
COMMENTS

443
COMMENTS

444
COMMENTS

445
COMMENTS

446
COMMENTS

447
COMMENTS

448
COMMENTS

449
COMMENTS

450
COMMENTS

451
COMMENTS

452
COMMENTS

453
COMMENTS

454
COMMENTS

455
COMMENTS

456
COMMENTS

457
COMMENTS

458
COMMENTS

459
COMMENTS

460
COMMENTS

461
COMMENTS

462
COMMENTS

463
COMMENTS

464
COMMENTS

465
COMMENTS

466
COMMENTS

467
COMMENTS

468
COMMENTS

469
COMMENTS

470
COMMENTS

471
COMMENTS

472
COMMENTS

473
COMMENTS

474
COMMENTS

475
COMMENTS

476
COMMENTS

477
COMMENTS

478
COMMENTS

479
COMMENTS

480
COMMENTS

481
COMMENTS

482
COMMENTS

483
COMMENTS

484
COMMENTS

485
COMMENTS

486
COMMENTS

487
COMMENTS

488
COMMENTS

489
COMMENTS

490
COMMENTS

491
COMMENTS

492
COMMENTS

493
COMMENTS

494
COMMENTS

495
COMMENTS

496
COMMENTS

497
COMMENTS

498
COMMENTS

499
COMMENTS

500
COMMENTS

501
COMMENTS

502
COMMENTS

503
COMMENTS

504
COMMENTS

505
COMMENTS

506
COMMENTS

507
COMMENTS

508
COMMENTS

509
COMMENTS

510
COMMENTS

511
COMMENTS

512
COMMENTS

513
COMMENTS

514
COMMENTS

515
COMMENTS

516
COMMENTS

517
COMMENTS

518
COMMENTS

519
COMMENTS

520
COMMENTS

521
COMMENTS

522
COMMENTS

523
COMMENTS

524
COMMENTS

525
COMMENTS

526
COMMENTS

527
COMMENTS

528
COMMENTS

529
COMMENTS

530
COMMENTS

531
COMMENTS

532
COMMENTS

533
COMMENTS

534
COMMENTS

535
COMMENTS

536
COMMENTS

537
COMMENTS

538
COMMENTS

539
COMMENTS

540
COMMENTS

541
COMMENTS

542
COMMENTS

543
COMMENTS

544
COMMENTS

545
COMMENTS

546
COMMENTS

547
COMMENTS

548
COMMENTS

549
COMMENTS

550
COMMENTS

551
COMMENTS

552
COMMENTS

553
COMMENTS

554
COMMENTS

555
COMMENTS

556
COMMENTS

557
COMMENTS

558
COMMENTS

559
COMMENTS

560
COMMENTS

561
COMMENTS

562
COMMENTS

563
COMMENTS

564
COMMENTS

565
COMMENTS

566
COMMENTS

567
COMMENTS

568
COMMENTS

569
COMMENTS

570
COMMENTS

571
COMMENTS

572
COMMENTS

573
COMMENTS

574
COMMENTS

575
COMMENTS

576
COMMENTS

577
COMMENTS

578
COMMENTS

579
COMMENTS

580
COMMENTS

581
COMMENTS

582
COMMENTS

583
COMMENTS

584
COMMENTS

585
COMMENTS

586
COMMENTS

587
COMMENTS

588
COMMENTS

589
COMMENTS

590
COMMENTS

591
COMMENTS

592
COMMENTS

593
COMMENTS

594
COMMENTS

595
COMMENTS

596
COMMENTS

597
COMMENTS

598
COMMENTS

599
COMMENTS

600
COMMENTS

601
COMMENTS

602
COMMENTS

603
COMMENTS

604
COMMENTS

605
COMMENTS

606
COMMENTS

607
COMMENTS

608
COMMENTS

609
COMMENTS

610
COMMENTS

611
COMMENTS

612
COMMENTS

613
COMMENTS

614
COMMENTS

615
COMMENTS

616
COMMENTS

617
COMMENTS

618
COMMENTS

619
COMMENTS

620
COMMENTS

621
COMMENTS

622
COMMENTS

623
COMMENTS

624
COMMENTS

625
COMMENTS

626
COMMENTS

627
COMMENTS

628
COMMENTS

629
COMMENTS

630
COMMENTS

631
COMMENTS

632
COMMENTS

633
COMMENTS

634
COMMENTS

635
COMMENTS

636
COMMENTS

637
COMMENTS

638
COMMENTS

639
COMMENTS

640
COMMENTS

641
COMMENTS

642
COMMENTS

643
COMMENTS

644
COMMENTS

645
COMMENTS

646
COMMENTS

647
COMMENTS

648
COMMENTS

649
COMMENTS

650
COMMENTS

651
COMMENTS

652
COMMENTS

653
COMMENTS

654
COMMENTS

655
COMMENTS

656
COMMENTS

657
COMMENTS

658
COMMENTS

659
COMMENTS

660
COMMENTS

661
COMMENTS

662
COMMENTS

663
COMMENTS

664
COMMENTS

665
COMMENTS

666
COMMENTS

667
COMMENTS

668
COMMENTS

669
COMMENTS

670
COMMENTS

671
COMMENTS

672
COMMENTS

673
COMMENTS

674
COMMENTS

675
COMMENTS

676
COMMENTS

677
COMMENTS

678
COMMENTS

679
COMMENTS

680
COMMENTS

681
COMMENTS

682
COMMENTS

683
COMMENTS

684
COMMENTS

685
COMMENTS

686
COMMENTS

687
COMMENTS

688
COMMENTS

689
COMMENTS

690
COMMENTS

691
COMMENTS

692
COMMENTS

693
COMMENTS

694
COMMENTS

695
COMMENTS

696
COMMENTS

697
COMMENTS

698
COMMENTS

699
COMMENTS

700
COMMENTS

701
COMMENTS

702
COMMENTS

703
COMMENTS

704
COMMENTS

705
COMMENTS

706
COMMENTS

707
COMMENTS

708
COMMENTS

709
COMMENTS

710
COMMENTS

711
COMMENTS

712
COMMENTS

713
COMMENTS

714
COMMENTS

715
COMMENTS

716
COMMENTS

717
COMMENTS

718
COMMENTS

719
COMMENTS

720
COMMENTS

721
COMMENTS

722
COMMENTS

723
COMMENTS

724
COMMENTS

725
COMMENTS

726
COMMENTS

727
COMMENTS

728
COMMENTS

729
COMMENTS

730
COMMENTS

731
COMMENTS

732
COMMENTS

733
COMMENTS

734
COMMENTS

735
COMMENTS

736
COMMENTS

737
COMMENTS

738
COMMENTS

739
COMMENTS

740
COMMENTS

741
COMMENTS

742
COMMENTS

743
COMMENTS

744
COMMENTS

745
COMMENTS

746
COMMENTS

747
COMMENTS

748
COMMENTS

749
COMMENTS

750
COMMENTS

751
COMMENTS

752
COMMENTS

753
COMMENTS

754
COMMENTS

755
COMMENTS

756
COMMENTS

757
COMMENTS

758
COMMENTS

759
COMMENTS

760
COMMENTS

761
COMMENTS

762
COMMENTS

763
COMMENTS

764
COMMENTS

765
COMMENTS

766
COMMENTS

767
COMMENTS

768
COMMENTS

769
COMMENTS

770
COMMENTS

771
COMMENTS

772
COMMENTS

773
COMMENTS

774
COMMENTS

775
COMMENTS

776
COMMENTS

777
COMMENTS

778
COMMENTS

779
COMMENTS

780
COMMENTS

781
COMMENTS

782
COMMENTS

783
COMMENTS

784
COMMENTS

785
COMMENTS

786
COMMENTS

787
COMMENTS

788
COMMENTS

789
COMMENTS

790
COMMENTS

791
COMMENTS

792
COMMENTS

793
COMMENTS

794
COMMENTS

795
COMMENTS

796
COMMENTS

797
COMMENTS

798
COMMENTS

799
COMMENTS

800
COMMENTS

801
COMMENTS

802
COMMENTS

803
COMMENTS

804
COMMENTS

805
COMMENTS

806
COMMENTS

807
COMMENTS

808
COMMENTS

809
COMMENTS

810
COMMENTS

811
COMMENTS

812
COMMENTS

813
COMMENTS

814
COMMENTS

815
COMMENTS

816
COMMENTS

817
COMMENTS

818
COMMENTS

819
COMMENTS

820
COMMENTS

821
COMMENTS

822
COMMENTS

823
COMMENTS

824
COMMENTS

825
COMMENTS

826
COMMENTS

827
COMMENTS

828
COMMENTS

829
COMMENTS

830
COMMENTS

831
COMMENTS

832
COMMENTS

833
COMMENTS

834
COMMENTS

835
COMMENTS

836
COMMENTS

837
COMMENTS

838
COMMENTS

839
COMMENTS

840
COMMENTS

841
COMMENTS

842
COMMENTS

843
COMMENTS

844
COMMENTS

845
COMMENTS

846
COMMENTS


847
COMMENTS

848
COMMENTS


849
COMMENTS

850
COMMENTS


2012000054220




1 NORTH ELEVATION - TRUCK MAINTENANCE
1/16" = 1'-0"



2 WEST ELEVATION - TRUCK MAINTENANCE
1/16" = 1'-0"



3 EAST ELEVATION - TRUCK MAINTENANCE
1/16" = 1'-0"



4 SOUTH ELEVATION - TRUCK MAINTENANCE
1/16" = 1'-0"

PAINT LEGEND				
TAG	KEY	COLOR	MANUF.	LOCATION
EP-1		UNIVERSAL KHAKI	SW 6150	FIELD
EP-2		QUIVER TAN	SW 6151	ACCENT
EP-3		ROCK GARDEN	SW 6195	ACCENT
EP-4		BLACK GREEN	RAL 6012	ACCENT
ST-1		ALPINE HARVEST LEDGESTONE	CULTURED STONE	OFFICE / ACCENT
ST-2		ALPINE CHARDONNAY LEDGESTONE	CULTURED STONE	OFFICE / ACCENT
NOTE: ALL COLORS TO BE APPROVED BY OWNER BEFORE APPLICATION				

KEYNOTE LEGEND..	
KEY	TEXT
4-1	8" NOMINAL CMU WALL, SEE STRUCTURAL DRAWINGS AND DETAILS
4-2	12" NOMINAL CMU WALL, SEE STRUCTURAL DRAWINGS AND DETAILS
5-7	GALVANIZED OPEN-METAL GRATE STAIRS, SEE DETAILS FOR PAINT COLORS
7-6	PRE-FINISHED ALUMINUM COPING, COLOR TO BE EP-3 ON MAIN BUILDING, COLOR TO BE EP-1 ON OFFICE
7-8	PRE-FINISHED ALUMINUM FULLY-ENCLOSED DOWNSPOUT, SEE SCUPPER/DOWNSPOUT FOR SIZING, COLOR TO BE EP-2, U.N.O.
7-9	PRE-FINISHED ALUMINUM SCUPPER, SEE SCUPPER/DOWNSPOUT FOR SIZING, COLOR TO BE EP-3.
8-1	HOLLOW METAL PERSONNEL DOOR, SEE DOOR SCHEDULE
8-6	OVERHEAD COILING DOOR, SEE DOOR SCHEDULE
8-15	KNOX BOX - FINAL LOCATION(S) TO MATCH THE APPROVED PLANNING DEPARTMENT SITE PLAN
10-9	PRE-MANUFACTURED METAL CANOPY AT TRUCK MAINTENANCE BUILDING, COLOR TO MATCH EP-4
11-8	4" TALL, 1/4" BENT-PLATE DOWNSPOUT PROTECTOR, PAINTED TO MATCH DOWNSPOUT
11-10	FUEL DISPENSER
21-1	FIRE DEPARTMENT CONNECTION - FINAL LOCATION TO MATCH THE APPROVED PLANNING DEPARTMENT SITE PLAN
32-3	6" HIGH BLACK VINYL FENCE

UNFIAT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
BUILDING ELEVATIONS

PROJECT NO.
RPA #2011155.00
DRAWING NAME
ELEVATIONS

33

REVISION

NO.	REVISION	BY	DATE	APPR.
1	COMMENTS	BT	04/18/12	
2	COMMENTS	BT	05/08/12	
3	COMMENTS	BT	05/11/12	
4	COMMENTS	BT	06/01/12	
5	COMMENTS	BT	06/28/12	
6	COA SITE PLAN/CLAR	BT	07/06/12	


RANDALL PAULSON architects

Roswell Mill
85-A Mill Street, Suite 200
Roswell, Georgia 30075
t 770.850.7558 f 770.850.7559
architects@randallpaulson.com

These plans and specifications are the property of Randall Paulson Architects, Incorporated. These documents may not be copied, reprinted, used, or reproduced in any way, in part or in whole, without the written consent of Randall Paulson Architects, Incorporated. All copyright law rights of copyright are hereby specifically reserved.


DESIGNED BY: BT
DRAWN BY: BT
CHECKED BY:
DATE: 03/02/2012

2012000054220



KEYED NOTES


1. EXACT LOCATION OF STREET LIGHTS "SL-4" TO BE DETERMINED BY CITY OF AURORA. POLE BASE SHALL BE FLUSH WITH GRADE. SEE GENERAL NOTE #7, THIS SHEET, AND POLE BASE DETAIL ON SHEET #36 FOR MORE INFORMATION.
2. EXISTING STREET LIGHT POLE "SL-4" TO BE RELOCATED TO BEHIND SIDEWALK BY G.C. AND COORDINATED WITH XCEL ENERGY. SEE SHEET #2, THIS SET, FOR MORE INFORMATION.



GENERAL NOTES

1. COLOR OF ALL SITE AND STREET LIGHT POLES, ARMS, BASES AND BOLT COVERS, ETC SHALL BE "DENVER FEDERAL GREEN #RAL 6012.
2. HEIGHT OF SITE POLE AND BASE SHALL NOT EXCEED 25'-0" FROM FINISHED GRADE. STREET POLES SHALL NOT EXCEED 33'6".
3. ALL SITE AND STREET LIGHT FIXTURE HEADS SHALL BE "HOCKEY-PUCK" STYLE.
4. BRAND OF LIGHT FIXTURES SHALL BE AS LISTED OR EQUAL WITH APPROVAL OF ENGINEER.
5. CONTRIBUTION OF ILLUMINANCE FROM THE STREET LIGHT POLES FACING 40TH AVENUE AND THE PRIVATE DRIVE ARE NOT INCLUDED IN THESE CALCULATIONS.
6. EXIT DISCHARGE LIGHTING SHALL MEET THE REQUIREMENTS OF IBC 2009, SECTION 1006.
7. STREET LIGHTS SHALL BE FUNDED BY THE DEVELOPER, INSTALLATION COORDINATED WITH XCEL ENERGY BY THE DEVELOPER AND INSTALLED BY XCEL. STREET LIGHTS SHALL BE OPERATING PRIOR TO ISSUANCE OF A CERT. OF OCCUPANCY.

NO.	REVISION	DATE	BY	CHKD
1	COMMENT RESPONSES	4/20	BY	
2	GDRC SUBMITTAL	5/9	BY	
3	COA RESUBMITTAL	5/11	BY	
4	COA RESUBMITTAL	6/8	BY	
5	GDRC SUBMITTAL	6/29	BY	
6	COA SITE PLAN MYLAR	7/16	BY	
7	MINOR AMENDMENT	JMD 8/16/22		



DESIGNED BY: DLS
DRAWN BY: DLS
CHECKED BY:
DATE:


UNFIAT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
SITE AND STREET LIGHTING

096259000

SITE AND STREET
LIGHTING PLAN

34





A
AMTECK
Dedicated Commercial Construction
Design Build Contractor
241 FORDHAM DRIVE
P.O. BOX 55934
LEONIA, NY 10508
(914) 255-6248
ENGINEERING LLC 20794

- DESIGNED BY: DLS
DRAWN BY: DLS
CHECKED BY:
DATE:

096259000

35



STATISTICS


Description	Symbol	Avg	Max	Min	Max/Min	Avg/Min
Car Parking	+	1.9 fc	6.9 fc	0.2 fc	34.5:1	9.5:1
Docks	+	1.6 fc	4.4 fc	0.5 fc	8.8:1	3.2:1
Docks - Manuevering Area	+	0.2 fc	1.0 fc	0.1 fc	10.0:1	2.0:1
Exit Discharge - North	+	2.1 fc	3.2 fc	0.9 fc	3.6:1	2.3:1
Exit Discharge - Northeast	+	4.1 fc	4.3 fc	3.8 fc	1.1:1	1.1:1
Horizontal Illuminance @ South Pty Line	+	0.68 fc	6.64 fc	0.00 fc	N/A	N/A
North Driveway	+	0.8 fc	1.4 fc	0.3 fc	4.7:1	2.7:1
North to East Roadway	+	0.1 fc	0.7 fc	0.0 fc	N/A	N/A
Pedestrian Walkway	+	2.2 fc	6.0 fc	0.0 fc	N/A	N/A
Perimeter - North & East	+	1.3 fc	3.1 fc	0.5 fc	6.2:1	2.6:1
Trailer Storage Area	+	1.8 fc	2.9 fc	0.8 fc	3.6:1	2.3:1
Truck Entrance - SE	+	1.5 fc	1.7 fc	1.3 fc	1.3:1	1.2:1
Vertical Illuminance @ Boundary SE	+	1.1 fc	2.4 fc	0.0 fc	N/A	N/A
Vertical Illuminance @ Boundary SW	+	0.8 fc	2.3 fc	0.0 fc	N/A	N/A
Vertical Illuminance at Pty Line	+	0.0 fc	0.1 fc	0.0 fc	N/A	N/A
VMF Perimeter	+	1.0 fc	3.7 fc	0.0 fc	N/A	N/A
West Horizontal Illuminance @ Pty Line	+	0.15 fc	0.44 fc	0.00 fc	N/A	N/A
West Horizontal Illuminance @ Pty Line	+	0.14 fc	0.51 fc	0.00 fc	N/A	N/A
West Horizontal Illuminance @ Pty Line	+	0.11 fc	0.40 fc	0.00 fc	N/A	N/A
West Horizontal Illuminance @ Pty Line	+	0.13 fc	0.40 fc	0.00 fc	N/A	N/A
West Horizontal Illuminance @ Pty Line	+	0.15 fc	0.47 fc	0.00 fc	N/A	N/A
West Horizontal Illuminance @ Pty Line	+	0.14 fc	0.45 fc	0.00 fc	N/A	N/A
West Vertical Illuminance @ Property Line	+	0.1 fc	0.2 fc	0.0 fc	N/A	N/A

LUMINAIRE SCHEDULE


Symbol	Label	Qty	Catalog Number	Description	Lamp	File	Lumens	LLF	Watts
	OCW	13	CT2H-FT-400-PSMHR-F-400-COLOR-PENDING	LSI CITATION SHOEBOX HEAD FOR WALL-MOUNTING	1-400W PSMHR CLEAR HOR	CT2H-FT-400-PSMHR-F.Jes	40000	0.72	452
	WP1	42	DAY-BRITE WCM 260DDT-LP-PEC-MT	FULL-CUTOFF WALLPACK, 52W CFL	(2) 26W CFL	CHWS-3-150-MH-F.JES	12500	0.74	56
	WP2	3	DAY-BRITE WCM 150M MT LP PEC	FULL-CUTOFF WALLPACK, 150W MH, PHOTOCELL	DAY-BRITE WCM 150M MT LP PEC	CHWS-3-150-MH-F.JES	12500	0.72	190
	OA	19	CON-1 T3-400MH-VLFG-SEG	CONCOURSE T3-400MH-FLAT GLASS LENS-SPECULAR REFLECTOR LUMINAIRE SIZE 20"X11" SIZE 1	400MH METAL HALIDE FLAT VERTICAL BASE UP	C13400MF.JES	36000	0.72	458
	OB	8	CON-1 T5-400MH-VLFG-SEG	CONCOURSE TYPE 5 SPECULAR REFLECTOR	VERTICAL POSITION	C15400MF.JES	36000	0.72	916

POWER DENSITY STATISTICS

Name	# Luminaires	Total Watts	Area	Density
Car Parking	20	10500.000 W	188207.200 ft²	0.056 W/ft²
Truck Area	31	12438.000 W	257011.200 ft²	0.048 W/ft²



"OA" & "OB" AREA LIGHTING POLE BASE DETAIL




GENERAL NOTES

- COLOR OF ALL SITE AND STREET LIGHT POLES, HEADS, BOLT COVERS AND BASES SHALL BE "DENVER FEDERAL GREEN #RAL 6012.
- HEIGHT OF SITE POLE AND BASE SHALL NOT EXCEED 25'-0" FROM FINISHED GRADE. STREET LIGHTS SHALL NOT EXCEED 33'6". REFER TO DETAIL AT LEFT FOR MORE INFORMATION.
- ALL SITE FIXTURE HEADS SHALL BE "HOCKEY-PUCK" STYLE.
- BRAND OF LIGHT FIXTURES LISTED IN SCHEDULE SHALL BE AS LISTED OR EQUAL WITH APPROVAL OF ENGINEER. SL-4 FIXTURE IS NOT SHOWN. REFER TO NOTE #7 ON SHEET #34.
- POINTS ALONG THE PROPERTY LINES ARE REPRESENTATIVE OF THE VERTICAL ILLUMINANCE FROM SITE LIGHTING FIXTURES.
- EXIT DISCHARGE LIGHTING SHALL MEET THE REQUIREMENTS OF IBC 2009, SECTION 1006.

POLE NO.	(H)	(AG)	(BG)	(D)	(S)
OA,OB	22'	28"	5'	24"	#6
SL-4	33'	0"	5'	24"	#6



1	COMMENT RESPONSES	BY	4/20
2	GDPRC SUBMITTAL	BY	5/9
3	COA RESUBMITTAL	BY	5/11
4	COA RESUBMITTAL	BY	6/8
5	GDPRC SUBMITTAL	BY	6/23
6	COA SITE PLAN LAYAR	BY	7/16




DESIGNED BY: DLS
DRAWN BY: DLS
CHECKED BY:
DATE:

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
SITE AND STREET LIGHTING


096259000
SITE AND STREET
LIGHTING PLAN

17. MONUMENT SIGN, BASE, COLUMNS, AND PANEL SHALL BE GATEWAY PARK STANDARD. THE STANDARD GPDRC MONUMENT SIGN EXHIBIT MUST BE PLACED ON THE SITE PLAN AND CONSTRUCTION DRAWINGS.

31. PARKING LOT LIGHT POLES INCLUDING BOLT COVERS, BASES (28" MAXIMUM HEIGHT), ETC SHALL BE PAINTED A MATCH OF RAL6012 DENVER FEDERAL GREEN. THE STANDARD GPRC LIGHT POLE EXHIBIT MUST BE PLACED ON THE SITE PLAN AND CONSTRUCTION DRAWINGS.



7 HANDICAP PARKING SIGN
N.T.S.



11 STOP SIGN
N.T.S.

1	COMMENT RESPONSES	BV	4/20
2	GPORC SUBMITTAL	BV	5/9
3	COA RESUBMITTAL	BV	5/11
4	COA RESUBMITTAL	BV	6/8
5	GPORC SUBMITTAL	BV	6/29
6	COA SITE PLAN MYLAR	BV	7/16



**Kimley-Horn
and Associates, Inc.**
2012 KIMLEY-HORN AND ASSOCIATES, INC.

DESIGNED BY: BWV
DRAWN BY: FAS
CHECKED BY: RJP
DATE: 3/2/2012

UNFI AT GATEWAY PARK
GATEWAY PARK EAST FILING NO. 2 - LOT 2 BLOCK 1
GATEWAY PARK DRC NOTES & DETAILS


PROJECT NO.
096259000

DRAWING NAME
SITEPLAN_GPNT










37

SITE PLAN MINOR AMENDMENT

LOT 2, BLOCK 1, GATEWAY PARK EAST FILING NO. 2
SECTION 21, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH P.M.
CITY OF AURORA, COUNTY OF ADAMS, STATE OF COLORADO



LEGEND

- | | |
|---|------------------------------------|
|  | PROPERTY LINE |
|  | LOT LINE |
|  | EASEMENT LINE |
|  | ACCESSIBLE ROUTE |
|  | EXISTING CONCRETE CURB
& GUTTER |
|  | EXISTING ROCK-MULCH AREA |
|  | PROPOSED ROCK-MULCH AREA |
|  | EXISTING CONCRETE WALK |
|  | PROPOSED CONCRETE WALK |

SITE PLAN KEYNOTES

- 1 EXISTING CONCRETE SIDEWALK
- 2 PROPOSED CONCRETE SIDEWALK
- 3 EXISTING ROCK-MULCH AREA
- 4 PROPOSED ROCK-MULCH AREA
- 5 EXISTING SOD / LANDSCAPE AREA
- 6 EXISTING SITE LIGHT POLE AND BASE TO REMAIN AND BE PROTECTED DURING CONSTRUCTION
- 7 EXISTING STEEL TUBE FRAME TRELLIS STRUCTURE TO REMAIN AND BE PROTECTED DURING CONSTRUCTION
- 8 PROPOSED SECURITY TURNSTILE
- 9 PROPOSED SECURITY GATE W/KNOX HARDWARE (ACCESSIBLE ENTRANCE AND EGRESS)
- 10 PROPOSED SECURITY GATE (EGRESS ONLY)
- 11 PROPOSED 7.5' HT. IRON SECURITY FENCING. REF. SHEET 40 FOR DETAILS
- 12 PROPOSED 8.0' HT. PEDESTRIAN PATHWAY LUMINAIRE

SITE PLAN NOTES



1. SIDEWALKS AND RAMPS SHALL BE CONSTRUCTED IN COMPLIANCE WITH THE AMERICANS WITH DISABILITIES ACT. HANDICAP ACCESSIBLE ROUTES SHALL SLOPE NO MORE THAN 1:20 IN DIRECTION OF TRAVEL AND NO MORE THAN 1:50 CROSS SLOPE.
2. PRIOR TO POURING OF NEW CONCRETE, CONTRACTOR SHALL EXCAVATE AND VERIFY ALL EXISTING UTILITIES WITHIN THE LIMITS OF CONSTRUCTION, AND INFORM ENGINEER AND OWNER OF ANY CONFLICT OR REQUIRED DERIVATIONS FROM THE PLAN. THIS INCLUDES ANY UTILITY CONFLICTS OR INADEQUATE GROUND COVER ARISING OUT OF THE EXCAVATION AND REGRADING OF THE LANDSCAPE / SIDEWALK AREAS. NOTIFICATION SHALL BE MADE A MINIMUM OF 48 HOURS PRIOR TO CONSTRUCTION. ENGINEER OF RECORD AND ITS CLIENTS SHALL BE HELD HARMLESS IN THE EVENT THAT THE CONTRACTOR FAILS TO MAKE SUCH NOTIFICATION.

k:\den_civil\196861000_unfi_aurora_entry\CADD\plansheets\196861000_GD.dwg Detmer, Joe 8/16/2024 5:23 PM

UNFI AT GATEWAY PARK

SITE PLAN MINOR AMENDMENT

LOT 2, BLOCK 1, GATEWAY PARK EAST FILING NO. 2
SECTION 21, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH P.M.
CITY OF AURORA, COUNTY OF ADAMS, STATE OF COLORADO





LEGEND

---	PROPERTY LINE
---	LIMITS OF CONSTRUCTION
---	SAWCUT LINE
---	EXISTING EASEMENT LINE
--- 5280 ---	EXISTING CONTOURS
--- 5280 ---	PROPOSED CONTOURS
AR	ACCESSIBLE ROUTE
X.XX%	PROPOSED SLOPE ARROW
X.XX%	EXISTING SLOPE ARROW
---	EXISTING STORM SEWER
W	EXISTING WATER LINE
E	EXISTING ELECTRIC LINE
ME	MATCH EXISTING ELEVATION
FG	FINISHED GRADE
EX	EXISTING

GRADING & UTILITY NOTES

- EXISTING GRADES AT BUILDING SHALL BE MAINTAINED.
- CONTRACTOR SHALL TAKE CARE WHEN GRADING ALONG LIMITS OF DISTURBANCE AS TO NOT DISTURB EXISTING CONCRETE SIDEWALK OR LANDSCAPE/GRAVEL AREAS.
- CONTRACTOR SHALL OBTAIN ALL STATE AND CITY STORMWATER DISCHARGE AND EROSION CONTROL PERMITS PRIOR TO DISTURBANCE, IF REQUIRED.
- ALL EXISTING UTILITIES TO REMAIN UNLESS OTHERWISE NOTED.
- PRIOR TO POURING OF NEW CONCRETE, CONTRACTOR SHALL EXCAVATE AND VERIFY ALL EXISTING UTILITIES WITHIN THE LIMITS OF CONSTRUCTION, AND INFORM ENGINEER AND OWNER OF ANY CONFLICT OR REQUIRED DERIVATIONS FROM THE PLAN. THIS INCLUDES ANY UTILITY CONFLICTS OR INADEQUATE GROUND COVER ARISING OUT OF THE EXCAVATION AND REGRADING OF THE LANDSCAPE / SIDEWALK AREAS. NOTIFICATION SHALL BE MADE A MINIMUM OF 48 HOURS PRIOR TO CONSTRUCTION. ENGINEER OF RECORD AND ITS CLIENTS SHALL BE HELD HARMLESS IN THE EVENT THAT THE CONTRACTOR FAILS TO MAKE SUCH NOTIFICATION.



1	MINOR AMENDMENT	JMD 08/16/2024	BJC
NO.	REVISION	BY	DATE
			APPR

Kimley»Horn
KIMLEY-HORN AND ASSOCIATES, INC.
6205 South Strider Lane, Suite 300
Greenwood Village, Colorado 80111 (303) 228-2300


UNFI AT GATEWAY PARK
SITE PLAN MINOR AMENDMENT
LOT 2, BLOCK 1, GATEWAY PARK EAST FILING NO. 2
CITY OF AURORA, COUNTY OF ADAMS, STATE OF COLORADO
GRADING AND UTILITY PLAN

DATE: 08/16/2024
DESIGNED BY: JMD
DRAWN BY: AGM
CHECKED BY: BJC

FILE NO.
196861000.GD
PROJECT NO.
196861000

SHEET NO.
39


k:\den_civil\196861000_unfi_aurora_entr\CADD\plansheets\196861000_DT.dwg Detmer, Joe 8/16/2024 5:23 PM



- NOTES:
1. THIS JOINT TO BE SPACED AT A MAXIMUM OF 16'-0" OR A MINIMUM OF 10'-0".
 2. OMIT LOAD TRANSFER ASSEMBLY IF JOINT LOCATED IN NON-TRUCK TRAFFIC AREAS.
 3. REINFORCEMENT TO CONTINUE THROUGH THE JOINT.


DETAIL

KJ - TRANSVERSE CONTRACTION JOINT



DETAIL


TCJ - TRANSVERSE CONTRACTION JOINT (DRILLED-IN METHOD)



- NOTES:
1. VERTICAL SAWCUT SHALL BE MADE AT ALL LIMITS OF REMOVAL TO CREATE A CLEAN EDGE.
 2. MATCH EXISTING CONTROL AND EXPANSION JOINTS, UNLESS WHERE REQUIRING MODIFICATION OF JOINTING TO ALLOW FOR LEVEL LANDINGS AND TRANSITION ZONES.
 3. ALL SIDEWALKS CONSTRUCTED WITHIN ADA ROUTES SHALL NOT EXCEED 2.0% CROSS SLOPE AND 5.0% LONGITUDINAL SLOPE (IN THE DIRECTION OF TRAVEL), UNLESS OTHERWISE SPECIFICALLY SHOWN ON PLANS. LEVEL LANDINGS IN FRONT OF DOORS AND AT TOP OF RAMPS SHALL NOT EXCEED 2.0% IN ANY DIRECTION.
 4. IF AGGREGATE BASE COURSE IS NOT PRESENT CONTRACTOR TO NOTIFY ENGINEER OF RECORD IMMEDIATELY.
 5. CONTRACTOR SHALL NOTIFY ENGINEER IF EXISTING BASE MATERIAL DOES NOT MEET REQUIREMENTS PER SPECIFICATIONS.

DETAIL

CONCRETE PAVEMENT - REMOVE, REGRADE, AND REPLACE SIDEWALK



- NOTES:
1. ALL SIDEWALK SHALL BE CONSTRUCTED WITH CONCRETE WITH A MINIMUM COMPRESSIVE STRENGTH OF 4,500 PSI AT 14 DAYS.
 2. PROVIDE 1/2" EXPANSION JOINTS AT 20', MAXIMUM, SPACING AND FILLED WITH PREMOLDED BITUMINOUS EXPANSION JOINT FILLER MATERIAL OR REDWOOD. EXPANSION JOINTS SHALL HAVE #4 DOWELS, LUBRICATED, 18" LONG, AT 12" CENTERS, 6" FROM EDGE.
 3. PROVIDE 3/8" GROOVED CONTROL JOINTS AT 5' CENTERS.
 4. WELDED WIRE FABRIC (6X6-6X6) SHALL BE INSTALLED THROUGH DRIVEWAYS AT 2" ABOVE SLAB BOTTOM.
 5. PROVIDE 1/2" BITUMINOUS EXPANSION JOINT FILLER MATERIAL WHERE WALK ABUTS EXISTING IMPROVEMENTS AND AT ALL CHANGES IN GRADE
 6. USE 2-#4 REINFORCING BARS, 10' LONG OVER ALL UTILITY TRENCHES FOR NEW SIDEWALK AND CONNECTIONS TO EXISTING SIDEWALK.
 7. AT DRIVE APPROACHES, SIDEWALK PCC AND BASE THICKNESS SHALL MATCH THAT OF THE DRIVE.


DETAIL


CONCRETE PAVEMENT - INSTALL NEW 4" SIDEWALK

UNFI AT GATEWAY PARK

SITE PLAN MINOR AMENDMENT

LOT 2, BLOCK 1, GATEWAY PARK EAST FILING NO. 2
SECTION 21, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH P.M.
CITY OF AURORA, COUNTY OF ADAMS, STATE OF COLORADO



Title: MONTAGE II MAJESTIC 2/3/4-RAIL				AMERISTAR®	1555 N. Mingo Tulsa, OK 74116 1-888-333-3422 www.ameristarfence.com
DR: RTM	SH: 1 of 1	SCALE: DO NOT SCALE			
CK: ME	Date: 6/28/10	REV: b			

Kimley»Horn
KIMLEY-HORN AND ASSOCIATES, INC.
6205 East South Street
Greenwood Village, Colorado 80111 (303) 228-2300

UNFI AT GATEWAY PARK
SITE PLAN MINOR AMENDMENT
LOT 2, BLOCK 1, GATEWAY PARK EAST FILING NO. 2
CITY OF AURORA, COUNTY OF ADAMS, STATE OF COLORADO
SITE PLAN DETAILS

DATE: 08/16/2024
DESIGNED BY: JMD
DRAWN BY: AGM
CHECKED BY: BJC

FILE NO.
196861000.DT
PROJECT NO.
196861000


SHEET NO.
40

1	MINOR AMENDMENT	JMD	08/16/2024	BJC
NO.	REVISION	BY	DATE	APPR




UNFI - Secured Employee Entrance

17901 E 40TH AVENUE
AURORA, COLORADO 80011



2 SOUTH ELEVATION - EMPLOYEE ENTRANCE
1/4" = 1'-0"



1 WEST ELEVATION - EMPLOYEE ENTRANCE
1/4" = 1'-0"

KNOX BOX NOTES

1. KNOX BOXES MUST BE INSTALLED WITHIN SIX (6) FEET OF EITHER SIDE OF THE ENTRANCE DOOR/GATE. KNOX BOXES MUST BE VISIBLE AND ACCESSIBLE.
2. KNOX BOXES CANNOT BE LOWER THAN FOUR (4) FEET OR HIGHER THAN SIX (6) FEET ABOVE THE GROUND.
3. KNOX HARDWARE INFORMATION CAN BE FOUND AT OUR CITY WEBSITE AT AURORAGOV.ORG BY TYPING IN "KNOX RAPID ENTRY SYSTEMS" IN THE SEARCH TOOL.

insula
design studio

P.O. BOX 31977 AURORA, COLORADO 80041

DATE	DESCRIPTION
6/12/24	MINOR AMENDMENT
8/15/24	MINOR AMENDMENT COMMENTS

DRAWN BY: EW BL CHECKED BY: BL
PROJECT NO.: 2325 INITIAL DATE: JAN 2024

EXTERIOR ELEVATIONS - SDP



41

k:\den_civil\196861000_unfi_aurora_entry\CADD\plansheets\196861000_PH.dwg Detmer, Joe 8/16/2024 5:23 PM

UNFI AT GATEWAY PARK

SITE PLAN MINOR AMENDMENT

LOT 2, BLOCK 1, GATEWAY PARK EAST FILING NO. 2
SECTION 21, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH P.M.
CITY OF AURORA, COUNTY OF ADAMS, STATE OF COLORADO




KEYMAP
NTS

LEGEND

- PEDESTRIAN LIGHT
- EXISTING WALL PACK

LIGHTING SUMMARY TABLE		
AREA	AVG. ILLUMINANCE (FC)	UNIFORMITY (AVE/MIN)
IMPROVEMENT AREA	3.13	5.22



Kimley»Horn

KIMLEY-HORN AND ASSOCIATES, INC.
6205 South Broadway, Suite 200
Greenwood Village, Colorado 80111 (303) 228-2300

UNFI AT GATEWAY PARK
SITE PLAN MINOR AMENDMENT
LOT 2, BLOCK 1, GATEWAY PARK EAST FILING NO. 2
CITY OF AURORA, COUNTY OF ADAMS, STATE OF COLORADO
PHOTOMETRIC PLAN

DATE: 08/16/2024
DESIGNED BY: JMD
DRAWN BY: AGM
CHECKED BY: BJC

FILE NO.
196861000.PH
PROJECT NO.
196861000

SHEET NO.
42

1	MINOR AMENDMENT	JMD	08/16/2024	BJC
NO.	REVISION	BY	DATE	APPR

43